

English version

BBS JAPAN Style Book

Beauty forged from extreme function.
What the wheels themselves demanded.



BBS Japan Co., Ltd.

Tokyo Office (Sales): 12F Shiba Park Building A, 2-4-1 Shibakoen, Minato-ku, Tokyo, 105-0011, Japan
Tel: +81-3-6402-4090 Fax: +81-3-6402-4110

Takaoka Office (Factory): 525, Fukuta-Rokke, Takaoka City, Toyama, 933-0313, Japan

2026.3

www.bbs-japan.co.jp/en/



BBS

Performance Driven

Performance Driven

From the beginning, our roots have been

defined by motorsports.

We design our products to achieve the top-level characteristics demanded

in this fiercely competitive world,

and the result is unparalleled control and performance.

Uncompromising craftsmanship gives rise to

beauty of form as an extension of function.

Our wheel designs are infused with style and refinement,

and tailored to a wide range of usage situations.

BBS offers the ultimate in wheel performance

for customers who truly love driving—your heart will soar.

The BBS logo consists of the letters 'BBS' in a bold, italicized, sans-serif font. The letters are white with a red outline and are set against a dark red background.

Performance Driven



[FL × Porsche Taycan]

FORTEGA, the high-performance
EV material sought by BBS

Forged 1-piece wheel made of the new material FORTEGA

We developed FORTEGA, a new aluminum alloy material
offering both high rigidity and lower weight, for response
to the age of EVs. Besides extending the distance
of continuous driving, it brings a performance improvement only
BBS could offer, and beautifully tightens up the undercarriage.



[FI-R Evo × Porsche 911 Turbo S]

Pushing the limits of weight reductions and strength for pure sports-driving enjoyment

Forged aluminum 1-piece wheel

An improvement on the FI-R, which itself was designed specifically for high-performance automobiles, this model features apertures on the sides of the cross spokes to realize an optimal balance between weight reduction and design toughness.

It fully leverages BBS forging technologies to outfit your car for genuine driving performance.



[RE-V7 × BMW M2 Coupé]

Bringing together tradition and innovation in seven spokes

Forged aluminum 1-piece wheel

BBS's established cross-spoke designs are identifiable at a glance thanks to their appearance and refinement throughout the years in major NASCAR® and F1® events.

These wheels enable lighter weights through powerful, three-dimensional design forms rivaled by none, delivering uncompromising vehicle performance and beauty to drivers everywhere.

The F1 logo, FORMULA 1, F1, GRAND PRIX and related marks are trademarks of Formula One Licensing BV, a Formula 1 company. All rights reserved.





Driving the streets on wheels cultivated in motor sports

Forged extra-super duralumin 1-piece wheel

In 2011, BBS became the first company in the world* to market a forged extra-super duralumin 1-piece wheel. Extra-super duralumin boasts the highest levels of strength and durability, and is also used for airplanes. This ultra-lightweight model with five cross spokes embodies the characteristics of this material.

* According to a study by BBS (conducted in January 2017)

[RI-S × Mercedes-AMG GLC Coupé]

Dynamism that produces impressive design results

Forged aluminum 2-piece wheel

This wheel's five-spoke rim-overlapping design creates a visual appearance that emphasizes large wheel diameter. It continues the traditions established by the sporty RI-D and RI-A while adopting elegant 2-piece wheel design to add more style and a greater sense of presence to SUV coupes.



[RN × TOYOTA RAV4]



Forged aluminum 1-piece wheel

Introducing a revolutionary design that pairs powerful, sharply defined lines with graceful curving aesthetics. It smartens up the wheel-area look for high-end cars, SUVs and the like, cultivating a laid-back and modern style.

[RT-X × TOYOTA HIACE]



Forged aluminum 2-piece wheel

The intricate 10-spoke design of this wheel gives a refreshing new look to the HIACE. Hiding beneath its beautiful exterior are strength and reliability fostered through years of experience in motorsports-based development.



Brimming with dynamic beauty even when stopped

Forged aluminum 2-piece wheel

This is a long-selling model (as indicated by the “LM” in the name) based on BBS racing wheels, which have constantly been selected for machines running in the 24 Hours of Le Mans race.

Although it projects an orthodox image, the styling conveys a look that, while basic, is imbued with a distinctive character.

PRODUCT LINEUP

NEW

FL Forged FORTEGA 1-piece wheel

Our proprietary new material "FORTEGA" offers excellent rigidity coupled with weight reductions.

It epitomizes BBS performance and design beauty.

21 22 inch
5/112.0 5/114.3 5/120.0
5/130.0 (H/P.C.D)



SNB

MEB

Please see BBS website for additional product details including information on compatible vehicles



RZ-D Forged extra-super duralumin 1-piece wheel

The ultra-lightweight model with a majestic appearance. Creating an even more luxurious feel on driving style of high-end cars.

19 20 21 inch
5/112.0 5/114.3 5/120.0
(H/P.C.D)



DS

DB

Please see BBS website for additional product details including information on compatible vehicles



RI-D Forged extra-super duralumin 1-piece wheel

The lightest model of BBS duralumin wheels. Original design indicates the story of lightness and sportiness.

19 20 21 inch
5/108.0 5/112.0 5/114.3
5/120.0 5/130.0 (H/P.C.D)



DG

DS

DB

MB

Please see BBS website for additional product details including information on compatible vehicles



NEW

RT88 Forged aluminum 2-piece wheel

10 cross-spoke wheels faithfully derived from competition wheels. Genuine wheels forged in extreme environments.

19 20 21 inch
5/108.0 5/112.0 5/114.3
5/120.0 5/130.0 CL (H/P.C.D)
CL:Center lock (genuine nut required)



MSSL-SLD

MSGL-SLD

MSNG-SLD

MSWG-SLD

MSSL-BKBD

MSGL-BKBD

MSNG-BKBD

MSWG-BKBD

Please see BBS website for additional product details including information on compatible vehicles



FI-R Evo Forged aluminum 1-piece wheel

This model improves on the FI-R, which was created specifically for high-performance cars. It was designed to achieve an optimal balance between rigidity and light weight.

19 20 21 inch
5/112.0 CL (H/P.C.D)
CL:Center lock (genuine nut required)



DS

DB

CG

MB

Please see BBS website for additional product details including information on compatible vehicles



FI-R

The toughness and lightness have been refined in pursuit of sporty driving. The supreme pure sports wheel.

19 20 21 inch
 5/112.0 5/120.0 5/130.0
 CL (H/P.C.D)
 CL: Center lock (genuine nut required)



DS

DB

MB



MBZ

Please see BBS website for additional product details including information on compatible vehicles



SUPER-RS Forged aluminum 2-piece wheel

This model is a direct descendant of the "RS" design introduced in 1984. It has an unchanging beauty for sedans and L-class minivans.

19 20 inch
 5/112.0 5/114.3 5/120.0
 (H/P.C.D)



SL-SLD

GL-SLD

Please see BBS website for additional product details including information on compatible vehicles



LM-R Forged aluminum 2-piece wheel

The technology of the racing wheels used in the Porsche Carrera Cup has been condensed. Titanium bolts are used to reduce weight and strength down to the smallest detail.

19 20 21 inch
 5/112.0 5/114.3 5/120.0
 5/130.0 5/132.0 (H/P.C.D)



DS-SLD

DB-SLD

DS-BKBD



DB-BKBD

Please see BBS website for additional product details including information on compatible vehicles



RI-S Forged aluminum 2-piece wheel

Adds strength to a sporty appearance. This 5 cross-spoke model enhances the appeal of large SUVs.

20 inch
 5/112.0 5/114.3 5/120.0
 (H/P.C.D)



DS-SLD

DB-SLD

MB-SLD

Please see BBS website for additional product details including information on compatible vehicles



LM Forged aluminum 2-piece wheel

A basic yet elegant design. A long-selling model that carries the name "Le Mans".

17 18 19 20 21 inch
 4/100.0 5/100.0 5/108.0
 5/112.0 5/114.3 5/120.0
 5/130.0 (H/P.C.D)



DS-SLD

DB-SLD

MGL-SLD

Please see BBS website for additional product details including information on compatible vehicles



GL-SLD

DS-BKBD

DB-BKBD



MGL-BKBD

GL-BKBD

RN Forged aluminum 1-piece wheel

Innovative design with strong and sharp curves. It creates a modern look for the driving style of high-end cars and SUVs.

20 inch
 5/114.3 (H/P.C.D)



DS

DB

MGR

Please see BBS website for additional product details including information on compatible vehicles



FS Forged aluminum 1-piece wheel

The 12-spoke design and sharp style add a luxurious touch to European cars.

19 inch
5/112.0 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RE-V Forged aluminum 1-piece wheel

The V-shaped spoke design has an originality and a sense of luxury. Unique three-dimensional milling process pursues the weight reduction.

18 19 inch
5/108.0 5/112.0 5/114.3 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RE-V7 Forged aluminum 1-piece wheel

A harmony of design and performance reminiscent of the world's greatest races. A sports model based on NASCAR®-supplied racing wheels.

18 19 20 21 inch
5/100.0 5/108.0 5/112.0 5/114.3 5/120.0 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RI-A Forged aluminum 1-piece wheel

This pure sports model combines high rigidity and lightness to meet extreme driving conditions, based on the same concept as the wheels used in SUPER GT.

16 17 18 19 inch
5/100.0 5/108.0 5/112.0 5/114.3 5/120.0 5/130.0 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RE-X Forged aluminum 1-piece wheel

A modern style befitting a new-generation SUV that combines power and beauty.

18 21 inch
5/112.0 5/114.3 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RT-X Forged aluminum 2-piece wheel

2-piece wheels with ten cross spokes that enhance the functional beauty of HIACE. They perfectly combine strength derived from motorsport with elegant beauty.

17 inch
6/139.7 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RF Forged aluminum 1-piece wheel

5 cross spokes design gives the impression of lightness. This lightweight model is the result of our pursuit of driving performance.

17 18 inch
4/100.0 5/100.0 5/112.0
5/114.3 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RE-L2 Forged aluminum 1-piece wheel

Extremely sharp styling harmonizes with compact cars and eco-cars. This model pursues the lightness and toughness that only forging can provide.

15 16 17 inch
4/100.0 5/100.0 5/114.3
(H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RE-L2 Forged aluminum 1-piece wheel

The RE-L2 has a unique "diamond-cut" finish that adds an elegant iridescent shine to the disc surface.

15 16 17 inch
4/100.0 5/100.0 5/114.3
(H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RP Forged aluminum 1-piece wheel

Sharp 8 cross spokes combined with lightness and toughness. Lightweight sports. Standard model for lightweight sports footwear.

15 16 inch
4/100.0 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RG-R Forged aluminum 1-piece wheel

Light and sporty looking, 8 cross spoke design. 1-piece series Long-selling model.

17 18 19 inch
4/100.0 5/100.0 5/112.0
5/114.3 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RS-GT Forged aluminum 2-piece wheel

Lighter and racier. Titanium bolts are used and the rims are specially processed. Lightest weight 2-piece model.

18 19 20 inch
5/112.0 5/114.3 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



RG-F Forged aluminum 1-piece wheel

This lightweight model uses 10 cross spokes directly derived from BBS racing wheels to adorn the feet of lightweight sports cars.

15 16 inch
4/100.0 5/100.0 5/112.0
5/114.3 (H/P.C.D)



Please see BBS website for additional product details including information on compatible vehicles



APPLICATION LIST

FL Forged FORTEGA 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	DISK TYPE	PRICE	WEIGHT	APPLICATIONS
FL002	21x9.0	25	5/112.0	PFS	Flat	¥430,000	12.0	BMW iX3 (G08)* (front only)
FL005	21x10.0	35	5/112.0	PFS	Round	¥440,000	12.5	BMW iX3 (G08)* (rear only)
FL012	22x10.0	28	5/112.0	PFS	Flat ²	¥500,000	14.5	BMW X5 35d Msport (G05)* (front only)
FL010	22x10.5	15	5/112.0	PFS	Round	¥505,000	14.5	Audi RS6 Avant (F2DJPF)*
FL014	22x11.5	38	5/112.0	PFS	Round ²	¥515,000	15.6	BMW X5 35d Msport (G05)* (rear only)
FL001	21x8.5	35	5/114.3	PFS	Flat	¥425,000	11.4	Lexus RX500h Fsport performance (TALH17)*
FL008	22x9.0	38	5/114.3	PFS	Flat	¥490,000	12.7	Lexus RX500h Fsport performance (TALH17)*
FL015	21x8.5	40	5/120.0	PFS	Flat	¥425,000	11.2	Toyota Alphard Hybrid (AAIH45W)*
FL016	22x9.0	35	5/120.0	PFS	Flat	¥490,000	12.9	Lexus LM500h Executive (TAWH15W)*
FL003	21x9.5	38	5/130.0	71.6	Flat	¥435,000	12.3	Porsche Cayenne (E3K29)* (front only) ¹
FL004	21x9.5	53	5/130.0	71.6	Flat	¥435,000	11.5	Porsche Taycan 4S* (front only) ¹
FL006	21x11.0	50	5/130.0	71.6	Round	¥450,000	13.0	Porsche Cayenne (E3K29)* (rear only) ¹
FL007	21x11.5	50	5/130.0	71.6	Round	¥455,000	13.3	Porsche Taycan 4S* (rear only) ¹
FL009	22x10.0	40	5/130.0	71.6	Flat	¥500,000	13.8	Porsche Cayenne (E3K29)* (front only) ¹
FL013	22x10.5	28	5/130.0	84.1	Round ²	¥505,000	15.0	AMG G63*
FL011	22x11.5	48	5/130.0	71.6	Round	¥515,000	14.3	Porsche Cayenne (E3K29)* (rear only) ¹

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

Note: For installation on vehicle models not listed in the application list (including HP), please contact us.

¹ Genuine bolts required

² The spoke shape differs to accommodate high loads

• Colors: Selenite Brown (SNB)/Matte Ebony (MEB)

• Included parts: Center emblem, valve, nuts and bolts (except genuine bolts required), hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (PCD112-120: P5624002G, PCD130: P5624119), valve (P5615013)

• FL Type is made to order.

RZ-D Forged extra-super duralumin 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RZ024	21x9.5	15	5/112.0	PFS	¥338,000	10.6	BMW 740d (G70)* (front only)
RZ025	21x10.5	40	5/112.0	PFS	¥344,000	10.6	BMW 740d (G70) (rear only)
RZ017	19x8.5	43	5/114.3	PFS	¥268,000	8.1	Toyota Crown (220 Series)
RZ006	20x8.5	38	5/114.3	PFS	¥299,000	8.5	Toyota Crown (220 Series)* /Nissan Skyline (HV37)*
RZ007	20x9.5	45	5/114.3	PFS	¥305,000	8.9	Toyota Crown (220 Series)* (rear only)/Nissan Skyline (HV37)* (rear only)
RZ019	19x8.5	18	5/120.0	PFS	¥268,000	8.1	Lexus LS500h Version L (GVF55)
RZ026	19x8.5	35	5/120.0	PFS	¥268,000	7.9	BMW 3Series (F30)*
RZ020	21x9.0	18	5/120.0	PFS	¥335,000	9.8	Lexus LS500h F Sport (GVF55) (front only)/LC500h (GWZ100) (front only)
RZ023	21x9.0	35	5/120.0	PFS	¥335,000	9.8	Lexus LM500h Executive
RZ022	21x10.0	18	5/120.0	PFS	¥341,000	10.4	Lexus LC500h (GWZ100) (rear only)
RZ021	21x10.0	31	5/120.0	PFS	¥341,000	10.2	Lexus LS500h F Sport (GVF55)* (rear only)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Colors: Diamond Silver (DS)/Diamond Black (DB)

• Included parts: Center emblem, valve, nuts and bolts (except genuine bolts required), hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (Please contact us.), valve (P5615013)

RI-D Forged extra-super duralumin 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RI089	19x8.0	42	5/108.0	63.4	¥250,000	7.5	VOLVO V90 (PB420)
RI016	19x9.0	28	5/108.0	67	¥256,000	7.6	Ferrari F430 (F430/F430S)* (front only)
RI017	19x10.5	35	5/108.0	67	¥265,000	8.2	Ferrari F430 (F430/F430S)* (rear only)
RI060	19x8.0	48	5/112.0	PFS	¥250,000	7.4	AMG A45* (W176)/Benz GLA (H247)*
RI098	19x8.5	22	5/112.0	PFS	¥253,000	8.1	BMW 3Series (G20)* /4Series (G22)*
RI053	19x8.5	35	5/112.0	PFS	¥253,000	7.9	Audi Q5 (FYDAXS)* /Benz GLA 156947 (X156)*
RI061	19x8.5	38	5/112.0	PFS	¥253,000	7.7	Audi Q3 (8UCULB)
RI038	19x8.5	43	5/112.0	PFS	¥253,000	7.7	Audi RS3 Sportback (8VDAZF)* /Benz C (W205)* /E (W213) (front only)
RI063	19x8.5	47	5/112.0	PFS	¥253,000	7.6	Mclaren MP4-12C (front only)
RI074	19x9.0	25	5/112.0	PFS	¥256,000	8.3	Toyota GR Supra* (front only)
RI058	19x9.0	32	5/112.0	PFS	¥256,000	8.0	Toyota GR Supra (front only)/BMW Z4 (G29)* (front only)
RI039	19x9.0	55	5/112.0	PFS	¥256,000	7.7	Benz GLE (W166)* /AMG GT S (C190)* (front only)
RI099	19x9.5	38	5/112.0	PFS	¥259,000	8.0	BMW 3Series (G20)* (rear only)/4Series (G22)* (rear only)
RI052	19x9.5	50	5/112.0	PFS	¥259,000	8.0	AMG SLS (C197)* (front only)/Benz C (W205)* (rear only)
RI092	19x10.0	38	5/112.0	PFS	¥262,000	8.4	Toyota GR Supra (rear only)/BMW Z4 (G29) (rear only)
RI059	19x10.0	54	5/112.0	PFS	¥262,000	8.2	Benz E (W213) (rear only)
RI096	20x8.5	22	5/112.0	PFS	¥291,000	8.4	BMW 3Series (G20)* /4Series (G22)*
RI026	20x8.5	30	5/112.0	PFS	¥291,000	8.2	BMW 3Series (G20)/4Series (G22)/AMG C63S (S205)* (front only)
RI027	20x8.5	41	5/112.0	PFS	¥291,000	8.1	Benz S450 (W222) (front only)
RI050	20x9.0	20	5/112.0	PFS	¥294,000	8.4	Porsche Macan GTS (J1H2) (front only)/Macan Turbo (95BCTL) (front only)
RI069	20x9.0	25	5/112.0	PFS	¥294,000	8.2	Audi RS4 Avant (8WDECF)* /BMW X3/X4
RI082	20x9.0	30	5/112.0	PFS	¥294,000	8.2	Toyota GR Supra* (front only)/BMW Z4 (G29)* (front only)

• Before installing and using any wheels, please carefully read the included instruction manual and warranty and observe all instructions and warnings.

• Prices without taxes. • In this table, H/P.C.D. products are highlighted by a red line.

TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RI087	20x9.0	32	5/112.0	66.5	¥294,000	8.2	Audi A5 Sportback (F5CVKL)
RI040	20x9.0	55	5/112.0	PFS	¥294,000	8.0	Benz GLE (W166)*
RI100	20x9.5	10	5/112.0	PFS	¥297,000	8.7	BMW M3 (G80)* (front only)/M4competition (G82)* (front only)
RI101	20x9.5	15	5/112.0	PFS	¥297,000	8.6	BMW M3 (G80)* (front only)/M4competition (G82)* (front only)
RI085	20x9.5	23	5/112.0	66.5	¥297,000	8.6	BMW M5 (F90)* (front only)/M8 (F92)* (front only)
RI097	20x9.5	38	5/112.0	PFS	¥297,000	8.7	BMW 3Series (G20)* (rear only)/4Series (G22)* (rear only)
RI051	20x10.0	19	5/112.0	PFS	¥300,000	8.9	Porsche Macan GTS (J1H2) (rear only)/Macan Turbo (95BCTL) (rear only)
RI064	20x10.0	33	5/112.0	PFS	¥300,000	8.7	Toyota GR Supra* (rear only)/BMW Z4 (G29)* (rear only)
RI070	20x10.0	40	5/112.0	PFS	¥300,000	8.6	Benz S450 (W222) (rear only)
RI028	20x10.0	45	5/112.0	PFS	¥300,000	8.5	BMW 3Series (G20)* /5Series (G30)* /AMG C63S (S205)* (rear only)
RI104	20x10.5	15	5/112.0	PFS	¥303,000	9.2	BMW M3 (G80)* (rear only)/M4competition (G82)* (rear only)
RI086	20x10.5	23	5/112.0	66.5	¥303,000	9.0	BMW M5 (F90)* (rear only)/M8 (F92)* (rear only)
RI029	20x11.0	50	5/112.0	PFS	¥306,000	8.9	Mclaren MP4-12C (rear only)
RI041	20x11.0	58	5/112.0	PFS	¥306,000	9.0	AMG GT S (C190)* (rear only)/SLS (C197)* (rear only)
RI126	21x9.5	28	5/112.0	PFS	¥334,000	9.4	BMW X3M (F97)* (front only)/X4M (F98)* (front only)
RI095	21x10.0	30	5/112.0	PFS	¥337,000	9.5	BMW X3M (F97)* (rear only)/X4M (F98)* (rear only)
RI102	21x10.5	10	5/112.0	PFS	¥340,000	10.0	BMW M3 (G80)* (rear only)/Audi RS6Avant*
RI103	21x10.5	15	5/112.0	PFS	¥340,000	10.0	BMW M3 (G80)* (rear only)/Audi RS6Avant (F2DJPF)
RI020	19x8.5	38	5/114.3	PFS	¥253,000	7.6	Lexus IS F/GS (GRL10)/Toyota Crown (220 Series)* (front only)
RI005	19x8.5	43	5/114.3	PFS	¥253,000	7.3	Toyota Crown (220Series)/WRX STI*
RI036	19x9.0	42	5/114.3	PFS	¥256,000	7.7	Lexus RC F (Base Grade)/GS F (front only)
RI021	19x9.5	45	5/114.3	PFS	¥259,000	7.8	Lexus IS F* (rear only)/Toyota Crown (220Series)* (rear only)
RI006	19x9.5	53	5/114.3	PFS	¥259,000	7.7	Toyota Crown (220Series) (rear only)
RI037	19x10.0	33	5/114.3	PFS	¥262,000	8.2	Lexus RC F (Base Grade) (rear only)/GS F (rear only)
RI105	19x10.5	15	5/114.3	PFS	¥265,000	8.4	Japanese Car*
RI034	20x9.0	35	5/114.3	PFS	¥294,000	8.4	Toyota Alphard/Vellfire (30Series)
RI056	20x9.0	38	5/114.3	PFS	¥294,000	8.4	Ferrari 488GTB (F142B)* (front only)/Lexus RC F*/GS F* (front only)
RI042	20x9.0	42	5/114.3	PFS	¥294,000	8.3	Lexus RC F (Base Grade) (front only)/GS F (front only)
RI046	20x9.5	45	5/114.3	66	¥302,000	9.0	Nissan GT-R (R35) (front only) (run-flat tire spec) ¹
RI035	20x10.0	25	5/114.3	PFS	¥300,000	8.8	Lexus RC F* (Base Grade) (rear only)/GS F* (rear only)
RI043	20x10.0	35	5/114.3	PFS	¥300,000	8.8	Lexus RC F (Base Grade) (rear only)/GS F (rear only)
RI003	20x10.0	35	5/114.3	66	¥305,000	9.0	Nissan GT-R (R35)* (front only) (run-flat tire spec) ¹
RI047	20x10.5	25	5/114.3	66	¥308,000	9.3	Nissan GT-R (R35) (rear only) (run-flat tire spec) ¹
RI004	20x11.0	15	5/114.3	66	¥311,000	9.5	Nissan GT-R (R35)* (rear only) (run-flat tire spec) ¹
RI057	20x11.0	30	5/114.3	PFS	¥306,000	9.2	Ferrari 488GTB (F142B)* (rear only)/Lexus GS F* (rear only)
RI014	20x9.0	44	5/114.3	67	¥294,000	8.5	Ferrari 458 Italia* (front only)
RI018	20x9.5	48.4	5/114.3	67	¥302,000	8.4	Ferrari F12 Berlinetta* (front only) ¹
RI015	20x11.0	50	5/114.3	67	¥306,000	9.2	Ferrari 458 Italia (rear only)
RI019	20x11.5	71.6	5/114.3	67	¥314,000	9.2	Ferrari F12 Berlinetta* (rear only) ¹
RI091	21x9.0	32	5/114.3	PFS	¥331,000	9.0	Lexus RX450h (L25W)*
RI022	19x8.5	35	5/120.0	PFS	¥253,000	7.6	BMW 3Series (F30)* /4Series (F32)
RI001	19x9.0	22	5/120.0	72.5	¥256,000	7.5	BMW M3 (F80)* (E92)* (front only)
RI048	19x9.0	26	5/120.0	PFS	¥256,000	7.5	BMW M2 (F87)* (front only)
RI031	19x9.5	25	5/120.0	PFS	¥259,000	7.9	BMW M4 (F82)* ² (front only)
RI023	19x9.5	45	5/120.0	PFS	¥259,000	7.8	BMW 3Series (F30)* (rear only)/4Series (F32)* (rear only)
RI002	19x10.0	25	5/120.0	72.5	¥262,000	8.0	BMW M3 (E92) (rear only)
RI032	19x10.0	35	5/120.0	PFS	¥262,000	8.1	BMW M3 (F80)* (rear only)/M4 (F82)* (rear only)
RI049	19x10.0	37	5/120.0	PFS	¥262,000	8.1	BMW M2 (F87)* (rear only)
RI111	19x10.5	35	5/120.0	PFS	¥265,000	8.3	BMW M3 (F80)* (rear only)/M4 (F82)* ² (rear only)
RI112	20x8.5	14	5/120.0	PFS	¥291,000	8.2	Lexus LS500h Version L (GVF55)
RI030	20x9.0	27	5/120.0	PFS	¥294,000	8.4	BMW M2 Competition (F87)* (front only)
RI010	20x9.0	32	5/120.0	PFS	¥294,000		

APPLICATION LIST

RT88 Forged aluminum 2-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RT88-031	19x8.5	40.35	5/108.0	PFS	¥341,000	11.3	Volvo*
RT88-049	19x9.5	23.7	5/108.0	PFS	¥351,000	11.7	Volvo*
RT88-026	19x8.5	26.85	5/112.0	PFS	¥341,000	11.6	Audi*
RT88-003	19x8.5	31.85	5/112.0	PFS	¥341,000	11.6	Audi*/Benz*/BMW*
RT88-013	19x8.5	35.0	5/112.0	PFS	¥341,000	11.1	Audi*/BMW*
RT88-036	19x8.5	40.35	5/112.0	PFS	¥341,000	11.2	Audi RS3*
RT88-009	19x8.5	49.35	5/112.0	PFS	¥341,000	11.1	Audi*/Benz*/BMW*
RT88-051	19x9.0	13.5	5/112.0	PFS	¥346,000	11.7	Benz*
RT88-034	19x10.0	22.5	5/112.0	PFS	¥356,000	12.2	Audi RS4*
RT88-004	19x10.0	33.0	5/112.0	PFS	¥356,000	11.7	Audi*/Benz*/BMW*
RT88-052	19x11.0	22.5	5/112.0	PFS	¥366,000	12.5	Benz*
RT88-019	20x8.5	38.0	5/112.0	PFS	¥351,000	12.3	BMW*/MINI*
RT88-008	20x8.5	43.0	5/112.0	PFS	¥351,000	12.0	Audi RS3*/TTRS*
RT88-020	20x9.0	21.7	5/112.0	PFS	¥356,000	12.3	Audi*/Benz*/BMW*
RT88-028	20x9.0	41.8	5/112.0	PFS	¥356,000	12.4	Audi A3*
RT88-024	20x9.0	46.8	5/112.0	PFS	¥356,000	12.1	Audi*
RT88-035	20x9.0	48.0	5/112.0	PFS	¥356,000	12.3	Audi TTRS*
RT88-048	20x9.5	23.05	5/112.0	PFS	¥361,000	12.8	Audi RS4*
RT88-021	20x9.5	28.05	5/112.0	PFS	¥361,000	12.3	Audi*/Benz*/BMW*
RT88-055	20x10.0	7.2	5/112.0	PFS	¥366,000	13.0	BMW M2 (G87)*/M3 (G80)*/M4 (G82)*
RT88-041	20x10.0	17.0	5/112.0	PFS	¥366,000	12.8	BMW M2 (G87)*/M3 (G80)*/M4 (G82)*
RT88-042	20x11.0	14.75	5/112.0	PFS	¥376,000	13.2	BMW M2 (G87)*/M3 (G80)*/M4 (G82)*
RT88-046	21x10.0	25.0	5/112.0	PFS	¥376,000	14.0	Audi RS4*
RT88-038	19x8.5	25.0	5/114.3	PFS	¥341,000	11.1	Tesla Model3 Performance*
RT88-039	19x9.5	29.7	5/114.3	PFS	¥351,000	11.4	Tesla Model3 Performance*
RT88-001	19x8.5	28.5	5/120.0	PFS	¥341,000	11.0	BMW*
RT88-016	19x9.0	24.5	5/120.0	PFS	¥346,000	11.1	BMW*
RT88-005	19x9.0	36.5	5/120.0	PFS	¥346,000	11.0	BMW*
RT88-011	19x9.5	20.2	5/120.0	PFS	¥351,000	11.4	BMW M2 (F87)*
RT88-010	19x9.5	32.2	5/120.0	PFS	¥351,000	11.3	BMW M2 (F87)*
RT88-012	19x10.0	26.5	5/120.0	PFS	¥356,000	11.7	BMW M4 (F82)*
RT88-002	19x10.0	38.5	5/120.0	PFS	¥356,000	11.4	BMW*
RT88-050	19x11.0	32.2	5/120.0	PFS	¥366,000	12.0	BMW M3 (F80)*
RT88-017	20x9.0	23.25	5/120.0	PFS	¥356,000	12.4	BMW M3 (F80)*
RT88-014	20x9.5	18.55	5/120.0	PFS	¥361,000	12.6	BMW M4 (F82)*
RT88-037	20x9.5	45.0	5/120.0	PFS	¥361,000	12.4	Honda Civic typeR*
RT88-018	20x10.5	35.0	5/120.0	PFS	¥371,000	12.6	BMW M3 (F80)*
RT88-015	20x11.0	36.35	5/120.0	PFS	¥376,000	12.9	BMW M4 (F82)*
RT88-043	19x9.0	49.5	5/130.0	71.6	¥346,000	10.8	Porsche 911turbo (997)* *1
RT88-044	19x12.0	46.5	5/130.0	71.6	¥376,000	12.1	Porsche 911turbo (997)* *1
RT88-032	20x8.5	57.0	5/130.0	71.6	¥351,000	11.9	Porsche Cayman GT4 (981/982)* *1
RT88-056	20x9.0	40.0	5/130.0	71.6	¥356,000	12.4	Porsche 911carrera (992)* *1
RT88-033	20x11.0	46.95	5/130.0	71.6	¥376,000	12.7	Porsche Cayman GT4 (981/982)* *1
RT88-057	21x12.0	62.0	5/130.0	71.6	¥396,000	15.1	Porsche 911carrera (992)* *1
RT88-053	20x9.0	51.6	CL	84	¥368,000	12.5	Porsche 911GT3 (991)*
RT88-058	20x9.5	40.0	CL	84	¥373,000	13.0	Porsche 911GT3 (992)*
★RT88-060	20x10.0	45.0	CL	84	¥378,000	12.2	Porsche 911GT3RS (992)*
RT88-054	20x12.0	44.0	CL	84	¥398,000	13.9	Porsche 911GT3 (991)*
RT88-059	21x12.0	42.5	CL	84	¥408,000	15.1	Porsche 911GT3 (992)*
★RT88-061	21x13.0	31.0	CL	84	¥418,000	15.7	Porsche 911GT3RS (992)*

CL: Center lock (genuine nut required)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

★ Scheduled for release in summer 2026

*1 Genuine bolts required

• Colors: Brilliant Silver disk and Silver Diamond-cut rim (MSSL-SLD)/Motorsport Gold disk and Silver Diamond-cut rim (MSGSL-SLD)/Midnight Gold disk and Silver Diamond-cut rim (MSNG-SLD)/White Gold disk and Silver Diamond-cut rim (MSWG-SLD)/Brilliant Silver disk and Black Bright Diamond-cut rim (MSSL-BKBD)/Motorsport Gold disk and Black Bright Diamond-cut rim (MSGSL-BKBD)/Midnight Gold disk and Black Bright Diamond-cut rim (MSNG-BKBD)/White Gold disk and Black Bright Diamond-cut rim (MSWG-BKBD)

• Included parts: Center emblem, air valve, nuts and bolts, hub ring (PFS specification sizes)

FI-R Evo Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
FI206	19x9.5	15	5/112.0	66.5	¥260,000	7.9	BMW M3 (G80)* (front only)/M4 (G82)* (front only)
FI213	20x9.5	10	5/112.0	66.5	¥286,000	8.2	BMW M3 (G80)* (front only)/M4 (G82)* (front only)
FI207	20x10.5	15	5/112.0	66.5	¥292,000	8.7	BMW M3 (G80)* (rear only)/M4 (G82)* (rear only)
FI211	20x8.5	61	CL	84	¥292,000	7.9	Porsche Cayman GT4RS (982)* (front only)
FI204	20x9.5	44	CL	84	¥298,000	8.2	Porsche 911turboS (front only)/GT3 (992M38/992NG)* (front only)
FI212	20x11.0	50	CL	84	¥307,000	9.0	Porsche Cayman GT4RS (982)* (rear only)
FI209	21x12.0	45	CL	84	¥349,000	10.2	Porsche 911GT3 (992NG)* (rear only)
FI205	21x12.0	70	CL	84	¥349,000	10.6	Porsche 911turbo S (992M38) (rear only)

CL: Center lock (genuine nut required)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

Important: This product is designed exclusively for the models listed on the application list (including the list on our website) . Installation on a vehicle not included in this list is strictly prohibited

• Colors: Diamond Silver (DS) ¥5,000up/Diamond Black (DB) ¥5,000up/Citrine Gold (CG)/Matte Black (MB)

• Included parts: Center emblem, valve, bolts (except genuine bolts required)

• Maintenance parts: Center emblem (PCD112; P5624002G), valve (P5615013)

FI-R Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
FI154	19x8.5	43	5/112.0	PFS	¥239,000	7.9	Audi Audi S3 Sedan (8VCJXL)*
FI152	19x9.0	32	5/112.0	66.5	¥242,000	7.9	AMG C63 S Staion Wagon (205287) (front only) /S205 (front only)
FI153	19x10.0	54	5/112.0	66.5	¥248,000	8.2	AMG C63 S Staion Wagon (205287) (rear only)/S205 (rear only)
FI140	20x9.0	35	5/112.0	PFS	¥268,000	8.1	Audi R8 (42/4S)* (front only)
FI139	20x9.5	25	5/112.0	PFS	¥271,000	9.4	Porsche Macan Turbo (95BCTL)*
FI141	20x11.5	40	5/112.0	PFS	¥283,000	9.0	Audi R8 (42/4S)* (rear only)
FI137	19x9.5	22	5/120.0	72.5	¥245,000	7.7	BMW M3 (F80)* (front only)/M4 (F82)* (front only)
FI138	19x10.5	35	5/120.0	72.5	¥251,000	8.2	BMW M3 (F80)* (rear only)/M4 (F82)* (rear only)
FI135	20x9.5	22	5/120.0	72.5	¥271,000	8.3	BMW M3 (F80)* (front only)/M4 (F82)* (front only)
FI136	20x10.5	35	5/120.0	72.5	¥277,000	8.7	BMW M3 (F80)* (rear only)/M4 (F82)* (rear only)
FI144	20x9.0	48	5/130.0	71.6	¥268,000	7.8	Porsche 991 Carrera S* (front only)/991 Turbo* (front only)*1
FI146	20x11.5	46	5/130.0	71.6	¥283,000	9.0	Porsche 991 Turbo* (rear only)*1
FI145	20x11.5	62	5/130.0	71.6	¥283,000	8.9	Porsche 991 Carrera S* (rear only)*1
FI164	21x11.5	60	5/130.0	71.6	¥319,000	10.2	Porsche* *1
FI133	20x9.0	52	CL	84	¥280,000	8.0	Porsche 991 GT3* (front only)/991 Turbo S* (front only)
FI142	20x9.5	50	CL	84	¥283,000	8.2	Porsche 991 GT3RS* (front only)
FI149	20x11.5	54	CL	84	¥295,000	9.4	Porsche 991 Turbo S* (rear only)
FI134	20x12.0	44	CL	84	¥298,000	9.4	Porsche 991 GT3* (rear only)
FI143	21x12.5	48	CL	84	¥337,000	10.4	Porsche 991 GT3RS* (rear only)

CL: Center lock (genuine nut required) keme

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

Important: This product is designed exclusively for the models listed on the application list (including the list on our website) . Installation on a vehicle not included in this list is strictly prohibited

*1 Genuine bolts required

• Colors: Diamond Silver (DS) ¥5,000up/Diamond Black (DB) ¥5,000up/Matte Black (MB)/Matte Bronze (MBZ)

• Included parts: Center emblem, valve, bolts (except genuine bolts required), hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (PCD112; P5624002G/PCD120; P5624119/PCD130; P5624228), valve (P5615013)

SUPER-RS

Forged aluminum
2-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RS576	19x8.5	43	5/112.0	PFS	¥198,000	10.6	Audi A4 Avant (8WCVN)
RS577	19x9.0	28	5/112.0	PFS	¥201,000	11.2	BMW Z4 (G29)* (front only)
RS578	19x10.0	40	5/112.0	PFS	¥207,000	11.1	BMW Z4 (G29) (rear only)
RS564	20x8.5	45	5/112.0	PFS	¥233,000	11.5	Audi A4 Avant (8WCVN)*
RS579	20x9.0	25	5/112.0	PFS	¥236,000	12.1	Toyota GR Supra* (front only)
RS580	20x10.0	40	5/112.0	PFS	¥242,000	11.9	Toyota GR Supra* (rear only)
RS557	20x8.5	38	5/114.3	PFS	¥233,000	11.5	Lexus RX (15W)/Toyota Vellfire (30 Series)/Crown (220 Series)*/Nissan Fuga (KY51)
RS558	20x8.5	45	5/114.3	PFS	¥233,000	11.7	Toyota Vellfire (30 Series)/Mazda CX-5 (KF Series)*
RS566	20x9.0	44	5/114.3	PFS	¥236,000	12.0	Lexus RC F* Basegrade (front only)/GS F (front only)
RS560	20x9.5	40	5/114.3	PFS	¥239,000	11.7	Lexus RC300h* (rear only)/GS (GRL10)* (rear only)/Nissan Fuga (KY51)* (rear only)
RS561	20x9.5	53	5/114.3	PFS	¥239,000	11.6	Lexus RC300h (rear only)/GS (GRL10) (rear only)/Toyota Crown (S214)* (rear only)
RS569	20x10.0	25	5/114.3	PFS	¥242,000	11.8	Lexus GS F* (rear only)
RS567	20x10.0	35	5/114.3	PFS	¥242,000	12.0	Lexus RC F (rear only)/GS F (rear only)
RS583	20x8.5	32	5/120.0	PFS	¥233,000	12.1	Lexus LS460 F Sport/LS600h/BMW 5Series (F10)*
RS586	20x9.0	35	5/120.0	PFS	¥236,000	11.8	Lexus LM500h Executive (TAWH15W)*
RS584	20x9.5	40	5/120.0	PFS	¥239,000	12.1	Lexus LS460 F Sport (rear only)/BMW 5Series (F10)* (rear only)

- * Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads
- P.C.D. 5/112 and 5/120 products may be discontinued due to specification changes. Please contact us for details.
- Colors: Silver disk and Silver Diamond-cut rim (SL-SLD)/Gold disk and Silver Diamond-cut rim (GL-SLD)
- Included parts: Center cap, valve, nuts and bolts, wrench, hub ring (PFS specification sizes)
- Maintenance parts: Center cover (PCS8S/G: Compatible with 18-inch wheels and larger), valve (P5615013: Limited to current products only. Please contact us regarding earlier purchases.), Wrench (P5923009: Compatible with 18-inch wheels and larger.)

LM-R

Forged aluminum
2-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
LM351	19x8.0	30	5/112.0	PFS	¥198,000	10.5	BMW 3Series (G20)/Benz C43Wagon (S205)*E200Coupe (C238)
LM348	19x8.5	30	5/112.0	PFS	¥201,000	10.7	BMW 320i M Sport (G20)*4Series (G22)
LM322	19x8.5	38	5/112.0	PFS	¥201,000	10.9	Audi Q5 (FYDAXS)/A6 Avant (4G)*BMW X1 (F48)*X2 (F47)*
LM338	19x8.5	43	5/112.0	PFS	¥201,000	10.8	Audi A4 (8W)/S4 Avant (8W)/Benz GLA (X156)/Benz E (W213)/S (W222)
LM352	19x9.0	44	5/112.0	PFS	¥204,000	10.4	Benz E200Coupe (C238) (rear only)/Benz C43Wagon (S205)
LM323	19x9.5	38	5/112.0	PFS	¥207,000	10.7	BMW 3Series (G20)*4Series (G22)* (rear only)
LM357	20x10.0	12	5/112.0	PFS	¥242,000	12.1	BMW M3Competition (G80)* (front only)
LM358	20x11.0	14	5/112.0	PFS	¥248,000	12.5	BMW M3Competition (G80)* (rear only)
LM307	19x8.5	25	5/114.3	PFS	¥201,000	10.7	Lexus RX (25W)*Toyota Alphard (20)*Nissan FairladyZ (Z33, Z34)*
LM324	19x8.5	36	5/114.3	PFS	¥201,000	10.7	Honda Insight (ZE4)*Toyota Mirai (D10)/Alphard (30 Series)
LM300	19x8.5	38	5/114.3	PFS	¥201,000	10.5	Toyota Crown (220 Series)*Nissan Fuga (Y51) (Cannot be installed on a car with a akebono brake system)
LM302	19x8.5	43	5/114.3	PFS	¥201,000	10.7	Lexus ES (AXZH10)/GS (GRL11)/Subaru WRX STI (VAB)
LM308	19x9.5	25	5/114.3	PFS	¥207,000	10.9	Japanese car*
LM301	19x9.5	38	5/114.3	PFS	¥207,000	10.7	Lexus GS (GRL11)* (rear only)/Toyota Alphard (30 Series) (rear only)
LM303	19x9.5	45	5/114.3	PFS	¥207,000	10.8	Toyota Crown (220 Series)* (rear only)/Lexus GS (GRL11)* (rear only)
LM356	19x10.5	15	5/114.3	PFS	¥213,000	11.4	Japanese car*
LM318	20x8.5	43	5/114.3	PFS	¥233,000	11.5	Lexus ES (AXZH10)/Toyota Crown (220 Series)/Honda Insight (ZE4)*
LM329	20x9.5	40	5/114.3	66	¥244,000	11.9	Nissan GT-R (R35)* run-flat tire spec/antislip paint spec (front only)
LM330	20x11.0	20	5/114.3	66	¥253,000	12.2	Nissan GT-R (R35)* run-flat tire spec/antislip paint spec (rear only)
LM349	21x9.0	32	5/114.3	PFS	¥280,000	12.6	Lexus RX (25W)*Toyota Alphard (30 Series)*
LM312	19x8.5	28	5/120.0	PFS	¥201,000	10.6	BMW 3Series (F30)*5Series (F10)*
LM306	19x8.5	32	5/120.0	PFS	¥201,000	10.6	Lexus LS460 (USF40)/BMW 5Series (F11)
LM305	19x9.5	25	5/120.0	PFS	¥207,000	10.8	Lexus LS500 (GVF55) (rear only)
LM313	19x9.5	35	5/120.0	PFS	¥207,000	10.7	Lexus LS460 (USF40) (rear only)/BMW
LM327	19x10.0	20	5/120.0	PFS	¥210,000	11.1	BMW*
LM314	20x8.5	32	5/120.0	PFS	¥233,000	11.1	Toyota Century (UWS60)
LM336	20x9.0	25	5/120.0	72.5	¥236,000	11.5	BMW M2 Competition*/M4 (F82)*M3 (F80)*
LM317	20x9.5	23	5/120.0	PFS	¥239,000	11.6	BMW M4 (F82)* (front only)/M3 (E92)* (rear only)
LM337	20x10.5	35	5/120.0	72.5	¥245,000	12.1	BMW M2 Competition* (rear only)/M4 (F82)* (rear only)/M3 (F80)* (rear only)
LM340	20x11.0	40	5/120.0	PFS	¥248,000	12.2	BMW*
LM360	21x8.5	14	5/120.0	PFS	¥277,000	12.8	Lexus LC500 (GWZ100) (front only)/LS500 (GVF55)
LM359	21x9.0	32	5/120.0	PFS	¥280,000	12.5	Toyota Century (UWS60)*
LM361	21x9.5	14	5/120.0	PFS	¥283,000	13.0	Lexus LC500 (GWZ100) (rear only)
LM362	21x9.5	28	5/120.0	PFS	¥283,000	12.8	Lexus LS500h (GVF55) (rear only)
LM309	19x8.5	55	5/130.0	71.6	¥201,000	10.8	Porsche 911 Carrera S (997) (front only)/Panamera 4S (970)* (front only)* ¹
LM311	19x9.5	40	5/130.0	71.6	¥207,000	11.0	Porsche* ¹
LM310	19x11.0	63	5/130.0	71.6	¥216,000	11.5	Porsche 911 Carrera S (997) (rear only)/Panamera 4S (970)* (rear only)* ¹

• Before installing and using any wheels, please carefully read the included instruction manual and warranty and observe all instructions and warnings.
• Prices without taxes. • In this table, H/P.C.D. products are highlighted by a red line.

TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
LM386	20x9.0	40	5/130.0	71.6	¥236,000	11.6	Porsche 911Carrera S (992)* (front only)* ¹
LM387	21x12.0	72	5/130.0	71.6	¥298,000	14.0	Porsche 911Carrera S (992)* (rear only)* ¹
LM384	21x10.5	17	5/132.0	66.5	¥289,000	13.7	BMW M5 (G90)* (front only)
LM385	21x11.0	18	5/132.0	66.5	¥292,000	13.7	BMW M5 (G90)* (rear only)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

¹ Genuine bolts required

• P.C.D. 5/112 and 5/120 products may be discontinued due to specification changes. Please contact us for details.

• Colors: Diamond Silver disk and Silver Diamond-cut rim (DS-SLD)/Diamond Black disk and Silver Diamond-cut rim (DB-SLD)/Diamond Silver disk and Black Bright Diamond-cut rim (DS-BKBD)/Diamond Black disk and Black Bright Diamond-cut rim (DB-BKBD)

• Included parts: Center emblem, valve, nuts and bolts (except genuine bolts required), hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624119), valve (P5615013)



RI-S

Forged aluminum
2-piece wheel

TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RI-S005	20x8.5	22	5/112.0	PFS	¥241,000	11.3	BMW 3Series (G20)*4Series (G22)*7Series (G12) (front only)
RI-S017	20x8.5	30	5/112.0	PFS	¥241,000	11.5	BMW 4Series (G22)/5Series (G30)* (front only)
RI-S008	20x9.0	34	5/112.0	PFS	¥244,000	11.6	Benz GLC (X253)
RI-S018	20x9.5	38	5/112.0	PFS	¥247,000	11.9	BMW 4Series (G22)*5Series G30* (rear only)
RI-S016	20x10.0	28	5/112.0	PFS	¥250,000	11.9	Audi RS4 Avant (8WDECF)*
RI-S014	20x10.0	38	5/112.0	PFS	¥250,000	11.8	BMW 7Series (G12) (rear only)
RI-S023	20x8.5	30	5/114.3	PFS	¥241,000	11.4	Lexus RX450h (25W)*
RI-S006	20x8.5	38	5/114.3	PFS	¥241,000	11.2	Lexus RX (15W)/ES (AXZH10)*Toyota Alphard (30 Series)
RI-S007	20x8.5	43	5/114.3	PFS	¥241,000	11.2	Toyota Crown (220 Series)/Harrier (ZAXUH80)/Mazda CX-8*
RI-S009	20x9.0	40	5/114.3	PFS	¥244,000	11.4	Lexus RC F*/GS F* (front only)/Toyota Crown (220 Series)*
RI-S022	20x9.0	32	5/114.3	PFS	¥244,000	11.7	Lexus RX450h (25W)*Toyota Alphard (30 Series)*
RI-S011	20x9.5	44	5/114.3	PFS	¥247,000	11.7	Toyota Crown (220 Series)* (rear only)
RI-S012	20x9.5	55	5/114.3	PFS	¥247,000	11.5	Subaru WRX S4 (VAG)*
RI-S013	20x10.0	30	5/114.3	PFS	¥250,000	11.8	Lexus RC F/GS F (rear only)
RI-S019	20x8.5	14	5/120.0	PFS	¥241,000	11.7	Lexus LS500h F Sport (GVF55) (front only)
RI-S003	20x8.5	30	5/120.0	PFS	¥241,000	11.5	Lexus LS (USF40)/BMW 3Series (F30)*5Series (F10)* (front only)
RI-S001	20x9.0	26	5/120.0	PFS	¥244,000	11.7	BMW M2 (F87)*M4 (F82)* (front only)
RI-S021	20x9.5	28	5/120.0	PFS	¥247,000	11.9	Lexus LS500h F Sport (GVF55) (rear only)
RI-S004	20x9.5	40	5/120.0	PFS	¥247,000	11.8	Lexus LS (USF40)/BMW 3Series (F30)*5Series (F10)* (rear only)
RI-S002	20x10.0	34	5/120.0	PFS	¥250,000	12.0	BMW M2 (F87)*M4 (F82)* (rear only)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• P.C.D. 5/112 and 5/120 products may be discontinued due to specification changes. Please contact us for details.

• Colors: Diamond Silver disk and Silver Diamond-cut rim (DS-SLD) ¥5,000up/Diamond Black disk and Silver Diamond-cut rim (DB-SLD) ¥5,000up/Matte Black disk and Silver Diamond-cut rim (MB-SLD)

• Included parts: Center emblem, valve, nuts and bolts, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624002G), valve (P5615013)

• Before installing and using any wheels, please carefully read the included instruction manual and warranty and observe all instructions and warnings.
• Prices without taxes. • In this table, H/P.C.D. products are highlighted by a red line.

APPLICATION LIST

LM Forged aluminum 2-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
LM441	17x7.0	42	4/100.0	PFS	¥123,000	9.1	Toyota Yaris HybridG*/Mazda Roadster (ND5RC/NDERC)
LM242	17x7.0	48	4/100.0	PFS	¥123,000	8.6	Honda Fit (GK3/GK5)/Mazda Roadster NR-A (ND)
LM198	17x7.5	40	4/100.0	PFS	¥125,000	8.8	Mazda Roadster (ND)*/Suzuki Swift RS (72S)*
LM414	17x7.0	46	5/100.0	PFS	¥123,000	8.9	Toyota Prius (50 Series)/VW Polo (AWCHZ)*
LM247	18x7.5	49	5/100.0	PFS	¥141,000	9.4	Toyota Prius (50 Series)/Subaru Forester (SJ5)
LM264	18x8.5	45	5/100.0	PFS	¥145,000	9.9	Japanese Car* (For Toyota 86 ZN6, it is impossible to equip Brembo caliper.)
LM469	18x9.5	38	5/100.0	PFS	¥149,000	10.4	Japanese Car*
LM248	19x7.5	48	5/100.0	PFS	¥171,000	10.2	Toyota 86/Subaru BRZ/Toyota Prius (50 Series)
LM122	18x8.0	35	5/108.0	67	¥143,000	10.3	Ferrari F355* (front only)
LM123	18x10.5	65	5/108.0	67	¥153,000	10.6	Ferrari F355* (rear only)
LM274	17x7.5	48	5/112.0	66.5	¥125,000	9.2	BMW 2Series Grantourer (F46)*/Mini Cooper S (F56)*
LM275	18x7.5	48	5/112.0	66.5	¥141,000	9.9	BMW X1 (F48)/Mini Clubman (F54)
LM455	18x7.5	40	5/112.0	PFS	¥141,000	10.1	Mini JCW (F56)*
LM430	18x8.0	45	5/112.0	PFS	¥143,000	10.2	Audi S3 Sedan (8VCJXL)/Benz A180 (W177)*
LM444	18x8.0	35	5/112.0	PFS	¥143,000	10.1	Audi S4 Avant (8WCWGF)*/Q5 (FYDAX)*
LM413	18x8.5	35	5/112.0	PFS	¥145,000	10.1	Audi*
LM440	19x8.0	45	5/112.0	PFS	¥174,000	10.7	Audi Q2*/Benz A180 (W177)*/GLA (H247)*
LM453	19x8.5	25	5/112.0	PFS	¥177,000	11.0	BMW 3Series (G20)*
LM269	19x8.5	32	5/112.0	PFS	¥177,000	11.3	BMW 5Series (G30) (front only)/Audi A4 (8WCYRF)*/S5 (8TCGWL)
LM400	19x8.5	43	5/112.0	66.5	¥177,000	11.0	Audi S4 Avant (8WCWGF)/Benz E220d (W213)/GLA220 (X156)
LM249	19x8.5	48	5/112.0	PFS	¥177,000	10.8	Audi
LM466	19x9.0	34	5/112.0	PFS	¥180,000	11.0	Audi S4 Avant (8WCWGF)*
LM423	19x9.0	40	5/112.0	66.5	¥180,000	11.0	Benz S450 (W222)
LM250	19x9.0	42	5/112.0	PFS	¥180,000	10.9	Benz E220d (W213)* (rear only)
LM463	19x9.5	23	5/112.0	PFS	¥183,000	11.6	BMW*
LM279	19x9.5	32	5/112.0	PFS	¥183,000	11.3	Benz S450 (W222)* (rear only)
LM421	19x9.5	38	5/112.0	PFS	¥183,000	11.2	BMW 5Series (G30)* (rear only)
LM424	19x10.0	50	5/112.0	66.5	¥186,000	11.2	Benz E220d (W213)* (rear only)
LM294	19x11.0	35	5/112.0	PFS	¥192,000	12.0	BMW*
LM457	20x8.5	22	5/112.0	PFS	¥208,000	12.3	BMW 3Series (G20)*/4Series (G22)*
LM422	20x8.5	30	5/112.0	PFS	¥208,000	12.4	Audi Q5 (FYDAXS)*
LM273	20x8.5	38	5/112.0	PFS	¥208,000	12.5	Audi A4 (8WCYRF)*/VW Arteon (3HDJHF)*/Benz GLC250 (X253)*
LM299	20x8.5	50	5/112.0	PFS	¥208,000	12.4	Benz GLE350d (W166)*/VW Passat Variant (3CCZE)/Audi Q3 (F3DFGF)
LM407	20x9.0	25	5/112.0	PFS	¥211,000	12.6	BMW 7Series (G12) (front only)/5Series (G30)* (front only)/Audi S5 (8TCGWL)*
LM460	20x9.5	8	5/112.0	PFS	¥214,000	12.7	BMW M3 (G80)* (front only)/M4 (G82)* (front only)
LM459	20x9.5	17	5/112.0	PFS	¥214,000	12.7	BMW M3 (G80) (front only)/M4 (G82) (front only)
LM291	20x9.5	36	5/112.0	PFS	¥214,000	12.7	Audi A5 Sportback (F5CVKL)
LM458	20x9.5	38	5/112.0	PFS	¥214,000	12.1	BMW 3Series (G20)* (rear only)/4Series (G22)* (rear only)
LM436	20x10.0	22	5/112.0	PFS	¥217,000	12.8	BMW M5 (F90)* (front only)
LM408	20x10.0	38	5/112.0	PFS	¥217,000	12.9	BMW 7Series (G12) (rear only)/5Series (G30)* (rear only)
LM465	20x10.5	15	5/112.0	PFS	¥220,000	13.1	BMW M3 (G80) (rear only)/M4 (G82)* (rear only)
LM437	20x11.0	24	5/112.0	PFS	¥223,000	13.0	BMW M5 (F90)* (rear only)
LM480	21x8.5	35	5/112.0	PFS	¥254,000	13.2	MINI JCW countryman (U25)*
LM409	21x9.0	22	5/112.0	PFS	¥257,000	13.3	BMW 7Series (G12) (front only)
LM514	21x9.0	30	5/112.0	PFS	¥257,000	13.3	BENZ E220d (W214)*
LM410	21x10.0	40	5/112.0	PFS	¥263,000	13.1	BMW 7Series (G12) (rear only)
LM515	21x10.0	45	5/112.0	PFS	¥263,000	13.7	BENZ E220d (W214)* (rear only)
LM462	21x10.5	10	5/112.0	PFS	¥266,000	14.1	BMW M3 (G80)* (rear only)
LM461	21x10.5	20	5/112.0	PFS	¥266,000	14.2	BMW M3 (G80) (rear only)/M4 (G82)* (rear only)
LM076	17x7.5	38	5/114.3	PFS	¥125,000	9.3	Honda NSX (NA1)* (front only)/Toyota Harrier (60W)
LM095	18x7.5	45	5/114.3	PFS	¥141,000	9.9	Subaru WRX S4 (VAG)/Levorg (VM4)*/Mazda Mazda6 (GJ5FP)
LM442	18x7.5	55	5/114.3	PFS	¥141,000	9.8	Toyota Prius (65)*/Voxy (80 Series, This wheel cannot be installed on wide-body Toyota VOXY owing to issues with hub interference.)
LM078	18x8.0	35	5/114.3	PFS	¥143,000	10.1	Lexus RX (15W)/Subaru WRX S4* (VAG)
LM080	18x8.0	40	5/114.3	PFS	¥143,000	10.0	Toyota Crown (220 Series)/Camry (XVH70)/Harrier (ZAXUH80)
LM233	18x8.0	45	5/114.3	PFS	¥143,000	10.1	Toyota Crown (220 Series)/Mazda Mazda6 (GJ5FP)*
LM114	18x8.5	38	5/114.3	PFS	¥145,000	10.1	Lexus RX (15W)/NX300h
LM194	18x9.0	25	5/114.3	PFS	¥147,000	10.5	Nissan Skyline Coupe (V35)*/Skyline GT-R (R32/R33)*
LM077	18x9.0	42	5/114.3	PFS	¥147,000	10.3	Honda NSX (NA1)* (rear only)/Toyota Crown (S214) (rear only)
LM234	18x9.0	48	5/114.3	PFS	¥147,000	10.1	Toyota Crown (220 Series) (rear only)
LM516	18x9.5	22	5/114.3	PFS	¥149,000	11.0	Japanese Car*
LM115	18x9.5	38	5/114.3	PFS	¥149,000	10.2	Japanese Car* (rear only)
LM086	18x10.0	20	5/114.3	PFS	¥151,000	10.7	Nissan Skyline GT-R (R33/R34)*
LM195	18x10.0	25	5/114.3	PFS	¥151,000	10.7	Nissan Skyline Coupe (V35)* (rear only)
LM470	18x10.5	15	5/114.3	PFS	¥153,000	11.1	Japanese Car*
LM443	19x7.5	48	5/114.3	PFS	¥171,000	10.5	Subaru Levorg (VN5)*, Mazda CX-3 (DK5FW)*/CX30 (DMEP)
LM235	19x8.0	45	5/114.3	PFS	¥174,000	10.8	Lexus UX (MZAA10)/Toyota C-HR (NGX50)*
LM220	19x8.5	43	5/114.3	PFS	¥177,000	11.0	Lexus UX (MZAA10)*/Toyota Crown (220 Series)
LM510	19x8.5	30	5/114.3	PFS	¥177,000	11.3	Lexus LBX MORIZO RR (GAYA16)*
LM270	19x9.0	18	5/114.3	PFS	¥180,000	11.0	Nissan Skyline GT-R (R33)*
LM118	19x9.0	38	5/114.3	PFS	¥180,000	11.1	Nissan Fuga (KY51)* Cannot be installed on a car with a akebono brake system/Toyota Vellfire (30 Series)*
LM464	19x9.5	32	5/114.3	PFS	¥183,000	11.3	Nissan FairladyZ (RZ34)* (front only)
LM221	19x9.5	45	5/114.3	PFS	¥183,000	11.0	Toyota Vellfire (30 Series) (rear only)
LM257	19x9.5	50	5/114.3	PFS	¥183,000	11.0	Toyota Crown (220 Series) (rear only)
LM271	19x10.0	22	5/114.3	PFS	¥186,000	11.4	Nissan Skyline GT-R (R34)*/FairladyZ (RZ34)* (front only)
LM119	19x10.0	40	5/114.3	PFS	¥186,000	11.3	Nissan Fuga (KY51) (rear only)
LM475	19x10.5	15	5/114.3	PFS	¥189,000	12.0	Japanese Car*
LM253	20x8.5	30	5/114.3	PFS	¥208,000	11.4	Lexus RX (15W)*/Toyota Vellfire (30 Series)*
LM185	20x8.5	36	5/114.3	PFS	¥208,000	11.6	Lexus IS F* (front only)/Toyota Vellfire (30 Series)/Nissan Fuga (KY51)

TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
LM240	20x8.5	43	5/114.3	PFS	¥208,000	11.7	Toyota Crown (220 Series)/Harrier (ZAXUH80)
LM451	20x9.0	28	5/114.3	PFS	¥211,000	12.0	Japanese Car* (Compatible with Lexus GS F brake calipers.)
LM289	20x9.0	40	5/114.3	PFS	¥211,000	11.9	Lexus RC F (Base Grade)*/GS F (front only)
LM254	20x9.5	30	5/114.3	PFS	¥214,000	12.2	Nissan Fuga (KY51)* (rear only)
LM238	20x9.5	40	5/114.3	66	¥219,000	11.8	Nissan GT-R (R35)* (run-flat tire spec)* ¹ (front only)
LM241	20x9.5	45	5/114.3	PFS	¥214,000	12.3	Lexus IS F* (rear only)
LM438	20x9.5	53	5/114.3	PFS	¥214,000	12.2	Toyota Crown (220 Series) (rear only)
LM439	20x10.0	25	5/114.3	PFS	¥217,000	12.4	Lexus GS F* (rear only)
LM476	20x10.0	30	5/114.3	66	¥222,000	12.7	Nissan GT-R NISMO (R35)*/MY20 (run-flat tire spec)* ¹ (front only)
LM186	20x10.0	38	5/114.3	PFS	¥217,000	12.1	Lexus RC F (Base Grade) (rear only)/GS F (rear only)
LM452	20x10.5	35	5/114.3	PFS	¥220,000	12.2	Japanese Car*
LM239	20x10.5	20	5/114.3	66	¥225,000	12.0	Nissan GT-R (R35)* (run-flat tire spec)* ¹ (rear only)
LM477	20x11.0	10	5/114.3	66	¥228,000	12.9	Nissan GT-R NISMO (R35)*/MY20 (run-flat tire spec)* ¹ (rear only)
LM468	21x8.0	40	5/114.3	PFS	¥251,000	12.8	Toyota Crown crossover (AZSH35)
LM401	21x9.0	32	5/114.3	PFS	¥257,000	13.2	Toyota Vellfire (30 Series)*
LM513	21x9.0	40	5/114.3	PFS	¥257,000	13.2	Toyota CrownSports RS (AZSH37W)*
LM454	21x9.5	30	5/114.3	PFS	¥260,000	13.4	Lexus RX450h ver.L (GYL25W)*
LM405	21x9.5	35	5/114.3	PFS	¥260,000	13.4	Lexus RX450h ver.L (GYL25W)
LM402	21x10.0	35	5/114.3	PFS	¥263,000	13.3	Toyota Vellfire (30 Series)* (rear only)
LM089	17x8.0	40	5/120.0	72.5	¥127,000	9.2	BMW
LM276	17x8.5	18	5/120.0	PFS	¥129,000	9.8	BMW
LM489	19x8.0	40	5/120.0	PFS	¥174,000	11.0	Mini Crossover JCW (R60)*
LM491	19x8.5	18	5/120.0	PFS	¥177,000	11.1	Lexus LS500h Version L (GVF55)*
LM485	19x8.5	27	5/120.0	PFS	¥177,000	11.1	BMW M3 (E92) (front only)
LM483	19x8.5	32	5/120.0	PFS	¥177,000	11.2	Lexus LS460
LM488	19x9.0	27	5/120.0	PFS	¥180,000	11.6	BMW M2 (F87)* (front only)/M4 (F82)* (front only)
LM490	19x9.0	44	5/120.0	PFS	¥180,000	11.2	BMW 3Series (F30)* (rear only)/4Series (F36)* (rear only)
LM486	19x9.5	20	5/120.0	PFS	¥183,000	11.4	BMW M3 (E92) (rear only)
LM492	19x9.5	22	5/120.0	PFS	¥183,000	11.4	BMW M3 (F80)* (front only)
LM484	19x9.5	35	5/120.0	PFS	¥183,000	11.2	Lexus LS460 (rear only)
LM487	19x10.0	25	5/120.0	PFS	¥186,000	11.9	BMW
LM506	19x10.0	37	5/120.0	PFS	¥186,000	11.6	BMW M2 (F87)* (rear only)/M4 (F82)* (rear only)
LM505	19x11.0	25	5/120.0	PFS	¥192,000	12.3	BMW
LM507	19x11.0	37	5/120.0	PFS	¥192,000	11.9	BMW*
LM479	20x8.0	40	5/120.0	PFS	¥205,000	11.8	Toyota Alphard Executive Lounge E-four (AAHH45W)
LM425	20x8.5	14	5/120.0	PFS	¥208,000	12.0	Lexus LC500h/LS500h Version L (GVF55)
LM495	20x8.5	32	5/120.0	PFS	¥208,000	11.8	Lexus LM500h Executive/BMW F10
LM225	20x9.0	15	5/120.0	PFS	¥211,000	11.9	BMW*
LM283	20x9.0	20	5/120.0	PFS	¥211,000	11.7	BMW M4 (F82)* (front only)
LM230	20x9.5	37	5/				

APPLICATION LIST

RN Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RN110	20x8.5	30	5/114.3	PFS	¥218,000	11.2	Lexus NX450h + Fsport (AAZH26)*
RN107	20x8.5	38	5/114.3	PFS	¥218,000	10.9	Toyota Vellfire (30 Series)/Nissan Fuga (KY51)
RN108	20x8.5	43	5/114.3	PFS	¥218,000	11.0	Toyota Crown (220 Series)*/Harrier (ZAXUH80)* /Mazda CX-5 (KF Series)*
RN109	20x9.5	45	5/114.3	PFS	¥224,000	11.3	Toyota Crown (220 Series)* (rear only)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Colors: Diamond Silver (DS) ¥5,000up/Diamond Black (DB) ¥5,000up/Matte Gray (MGR)

• Included parts: Center emblem, valve, nuts and bolts, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624119), valve (P5615013)

FS Forged aluminum 1-piece wheel

FS types may be temporarily unavailable for order due to design changes resulting from load specification revisions.

For details on currently available sizes and re-release dates, please visit our website or contact us.

RE-V Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	DISKTYPE	PRICE	WEIGHT	APPLICATIONS
RE087	19x8.0	39	5/108.0	63.4	Flat	¥158,000	9.9	Volvo V90 (PB420)*
RE055	18x8.0	42	5/112.0	PFS	Flat	¥133,000	9.5	Audi A3 (8VCXSL)/A4 (8WCYRF)/TTS Coupe (FVCJXF)*
RE062	18x8.0	45	5/112.0	PFS	Flat	¥133,000	9.5	Benz CLA180*/MINI Clubman (F54)*/VW The Beetle*/Audi Q3 (F3DFGF)*
RE084	19x8.5	30	5/112.0	PFS	Flat	¥161,000	10.5	BMW 4Series (G22)*/5Series (G30) (front only)
RE082	19x9.0	37	5/112.0	PFS	Flat	¥164,000	10.6	Benz E (W212)* /BMW 4Series (G22)* (rear only)/5Series (G30) (rear only)
RE054	18x7.5	45	5/114.3	PFS	Flat	¥131,000	9.1	Toyota Vellfire (30 Series)/Prius/Subaru WRX S4 (VAG)
RE057	18x8.0	43	5/114.3	PFS	Flat	¥133,000	9.5	Lexus RC300h/GS (GRL11)/Toyota Crown (220 Series)/GR Yaris RZ (GXPA16)/Nissan Leaf (ZE0)
RE059	18x8.5	38	5/114.3	PFS	Round	¥135,000	9.6	Lexus RX (15W)/GS (GRL11)* /Toyota Vellfire (30 Series)
RE046	19x8.5	38	5/114.3	PFS	Flat	¥161,000	10.2	Lexus RX (15W)/RC300h*/GS (GRL11)* /Toyota Vellfire (30 Series)
RE086	19x8.5	41	5/114.3	PFS	Flat	¥161,000	10.1	Lexus ES (AXZH10)/Nissan Skyline (HV37)*
RE048	19x8.5	43	5/114.3	PFS	Flat	¥161,000	10.1	Lexus RC300h/GS (GRL11)/Toyota Prius (65 Series)*
RE070	19x9.0	40	5/114.3	PFS	Flat	¥164,000	10.5	Nissan Fuga (KY51)
RE049	19x9.5	50	5/114.3	PFS	Flat	¥167,000	10.5	Nissan Fuga (KY51) (rear only)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Colors: Diamond Silver (DS)/Diamond Black (DB)

• Included parts: Center emblem, valve, nuts and bolts, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624119), valve (P5615013)

RE-V7 Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	DISKTYPE	PRICE	WEIGHT	APPLICATIONS
RE-V7016	18x7.5	48	5/100.0	PFS	Flat	¥108,000	8.2	Subaru BRZ (ZC6, except STI Sport)/Toyota 86 (ZN8)
RE-V7017	18x8.0	45	5/100.0	PFS	Flat	¥110,000	8.6	Subaru BRZ STI Sport (ZC6)* /Toyota 86 GR (ZN6)*
RE-V7020	18x8.5	45	5/100.0	PFS	Flat	¥112,000	8.8	Toyota Corolla Sport (ZWE211)
RE-V7068	18x9.0	50	5/100.0	PFS	Flat	¥114,000	8.9	Japanese Car*
RE-V7025	18x9.5	43	5/100.0	PFS	Round	¥116,000	8.8	Japanese Car*
RE-V7033	19x8.0	45	5/100.0	PFS	Flat	¥135,000	9.2	Subaru BRZ STI Sport (ZC6)* /Toyota 86 GR (ZN6)*
RE-V7034	19x9.0	45	5/100.0	PFS	Flat	¥141,000	9.7	Toyota 86 GR (ZN6)* (rear only)
RE-V7067	19x8.5	41	5/108.0	63.4	Flat	¥138,000	9.4	Volvo V60 (ZN420)* /V90 (PB420)*
RE-V7078	20x9.0	40	5/108.0	63.4	Flat	¥203,000	10.5	Volvo V90 (PB420)*
RE-V7102	21x9.0	38	5/108.0	63.4	Flat	¥233,000	11.6	Volvo V90 (PB420)*
RE-V7064	18x7.5	38	5/112.0	PFS	Flat	¥108,000	8.4	MINI F56 JCW*
RE-V7005	18x7.5	48	5/112.0	PFS	Flat	¥108,000	8.2	Mini F56* (except JCW)/VW Golf VII GTI (AUCHI)
RE-V7006	18x8.0	45	5/112.0	PFS	Flat	¥110,000	8.4	Audi S3 Sedan (8VCJXL)/VW Golf VII R (AUCJXF)*
RE-V7010	18x8.5	25	5/112.0	PFS	Round	¥112,000	8.6	BMW 320i M Sport M Sport Brake (G20)
RE-V7008	18x8.5	36	5/112.0	PFS	Flat	¥112,000	8.8	Audi A4 (8WCYRF)* /S4 Avant (8WCWGF)*
RE-V7007	18x8.5	42	5/112.0	PFS	Flat	¥112,000	8.7	Audi A4 (8WCYRF)* /S4 Avant (8WCWGF)*
RE-V7011	18x9.0	30	5/112.0	PFS	Round	¥114,000	8.7	Toyota Supra RZ (front only)
RE-V7013	18x9.5	40	5/112.0	PFS	Round	¥116,000	8.8	BMW 320i M Sport M Sport Brake (G20)* (rear only)
RE-V7014	18x10.0	38	5/112.0	PFS	Round	¥118,000	9.1	Toyota Supra RZ (rear only)
RE-V7042	19x8.0	45	5/112.0	PFS	Flat	¥135,000	9.0	Audi S3 Sedan (8VCJXL)/VW Golf VII R (AUCJXF)*
RE-V7049	19x8.5	22	5/112.0	PFS	Round	¥138,000	9.4	BMW 320i M Sport (G20)*
RE-V7044	19x8.5	35	5/112.0	PFS	Flat	¥138,000	9.6	AMG C63S Station Wagon (S205)* (front only)

TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	DISKTYPE	PRICE	WEIGHT	APPLICATIONS
RE-V7043	19x8.5	43	5/112.0	PFS	Flat	¥138,000	9.4	Audi A4 (8WCYRF)/S4 Avant (8WCWGF)
RE-V7050	19x9.0	25	5/112.0	PFS	Round	¥141,000	9.5	BMW*
RE-V7060	19x9.0	32	5/112.0	PFS	Round	¥141,000	9.5	Audi A7 (F2DLZS)
RE-V7053	19x9.5	25	5/112.0	PFS	Round	¥144,000	10.1	BMW*
RE-V7052	19x9.5	36	5/112.0	PFS	Round	¥144,000	9.6	BMW 320i M Sport (G20)* (rear only)
RE-V7051	19x9.5	45	5/112.0	PFS	Round	¥144,000	9.5	AMG C63S Station Wagon (S205)* (rear only)
RE-V7054	19x10.0	38	5/112.0	PFS	Round	¥147,000	9.8	BMW*
RE-V7065	19x10.5	33	5/112.0	PFS	Round	¥150,000	10.4	BMW*
RE-V7055	19x10.5	38	5/112.0	PFS	Round	¥150,000	10.4	BMW*
RE-V7074	20x8.5	42	5/112.0	PFS	Flat	¥200,000	10.1	MINI JCW Countryman (U25)*
RE-V7075	20x9.0	25	5/112.0	PFS	Flat	¥203,000	10.8	BMW 523i M Sport (G60)* (front only)
RE-V7081	20x9.5	10	5/112.0	PFS	Round	¥206,000	11.3	BMW M3competition (G80)* (front only)
RE-V7082	20x10.0	28	5/112.0	PFS	Round	¥209,000	11.2	Audi RS4 Avant (8WDECF)*
RE-V7076	20x10.0	35	5/112.0	PFS	Flat	¥209,000	11.1	BMW 523i M Sport (G60)* (rear only)
RE-V7083	20x10.5	10	5/112.0	PFS	Round	¥212,000	11.9	BMW M3competition (G80)* (rear only)
RE-V7108	21x9.0	25	5/112.0	PFS	Flat	¥233,000	11.9	BMW 523i M Sport (G60)*
RE-V7107	21x9.0	32	5/112.0	PFS	Flat	¥233,000	11.9	Audi A7 sportback 55TFSI (F2DLZS)*
RE-V7109	21x9.5	28	5/112.0	PFS	Flat	¥236,000	12.0	Audi A7 sportback 55TFSI (F2DLZS)*
RE-V7115	21x10.0	28	5/112.0	PFS	Round	¥239,000	12.1	Audi RS4 Avant (8WDECF)*
RE-V7110	21x10.0	38	5/112.0	PFS	Flat	¥239,000	12.2	BMW 523i M Sport (G60)* (rear only)
RE-V7118	21x10.5	10	5/112.0	PFS	Round	¥242,000	12.8	BMW M3 (G80)* (rear only)
RE-V7015	18x7.5	48	5/114.3	PFS	Flat	¥108,000	8.1	Subaru Levorg (VM4)/Mazda CX-3 (DK5AW)
RE-V7018	18x8.0	45	5/114.3	PFS	Flat	¥110,000	8.5	Subaru Levorg (VM4)* /Lexus ES300h
RE-V7022	18x8.5	35	5/114.3	PFS	Flat	¥112,000	8.8	Nissan Skyline (V37)*
RE-V7021	18x8.5	42	5/114.3	PFS	Flat	¥112,000	8.7	Toyota Crown (GWS224)/Subaru WRX STI (VAB)*
RE-V7019	18x8.5	50	5/114.3	PFS	Flat	¥112,000	8.6	Subaru WRX S4 (VAG)/WRX STI (VAB)
RE-V7024	18x9.0	35	5/114.3	PFS	Round	¥114,000	8.8	Toyota*/Nissan*
RE-V7023	18x9.0	45	5/114.3	PFS	Flat	¥114,000	8.9	Toyota Crown (GWS224)* (rear only)
RE-V7029	18x9.5	22	5/114.3	PFS	Round	¥116,000	9.2	Nissan SkylineGT-R (BNR32/BCNR33/BNR34)*
RE-V7028	18x9.5	30	5/114.3	PFS	Round	¥116,000	9.1	Nissan SkylineGT-R (BNR32/BCNR33/BNR34)*
RE-V7027	18x9.5	38	5/114.3	PFS	Round	¥116,000	8.9	Toyota*/Nissan*
RE-V7026	18x9.5	45	5/114.3	PFS	Round	¥116,000	8.6	Toyota Crown (GWS224)* (rear only)
RE-V7030	18x10.0	35	5/114.3	PFS	Round	¥118,000	9.2	Japanese Car*
RE-V7032	18x10.5	15	5/114.3	PFS	Round	¥120,000	9.7	Japanese Car*
RE-V7031	18x10.5	24	5/114.3	PFS	Round	¥120,000	9.6	Japanese Car*
RE-V7069	19x7.5	38	5/114.3	PFS	Flat	¥132,000	8.9	Toyota Prius (65Series)*
RE-V7035	19x7.5	48	5/114.3	PFS	Flat	¥132,000	8.7	Subaru Levorg (VM4)* /Toyota C-HR (NGX50)
RE-V7036	19x8.0	45	5/114.3	PFS	Flat	¥135,000	8.9	Toyota Prius (65 Series)* /Subaru WRX S4 (VAG)
RE-V7085	19x8.5	30	5/114.3	PFS	Round	¥138,000	9.2	Lexus LBX MORIZO RR (GAYA16)*
RE-V7039	19x8.5	38	5/114.3	PFS	Flat	¥138,000	9.5	Nissan Fuga (KY51)
RE-V7038	19x8.5	43	5/114.3	PFS	Flat	¥138,000	9.4	Toyota Crown (220 Series)/Lexus UX
RE-V7037	19x8.5	48	5/114.3	PFS	Flat	¥138,000	9.1	Subaru WRX STI TypeS (VAB)
RE-V7059	19x9.0	35	5/114.3	PFS	Round	¥141,000	9.4	Toyota Alphard (30 Series)
RE-V7040	19x9.0	42	5/114.3	PFS	Flat	¥141,000	9.6	Lexus RC F Base Grade (front only)
RE-V7046	19x9.5	38	5/114.3	PFS	Round	¥144,000	9.5	Nissan Fairlady Z RZ34 (front only)
RE-V7041	19x9.5	50	5/114.3	PFS	Flat	¥144,000	9.7	Toyota Crown (220 Series)* (rear only)
RE-V7048	19x10.0	22	5/114.3	PFS	Round	¥147,000	10.3	Nissan Skyline GT-R (BNR34)* /Fairlady Z RZ34* (rear only)
RE-V7047	19x10.0	38	5/114.3	PFS	Round	¥147,000	9.7	Lexus RC F (rear only)
RE-V7070	20x8.0	30	5/114.3	PFS	Flat	¥197,000	10.1	Lexus RX500h Fsport Performance (TALH17)*
RE-V7071	20x8.5	30	5/114.3	PFS	Flat	¥200,000	10.5	Lexus RX500h Fsport Performance (TALH17)*
RE-V7072	20x9.5	32	5/114.3	PFS	Flat	¥206,000	10.9	Nissan Fairlady Z RZ34* (front only)
RE-V7073	20x10.0	40	5/114.3	PFS	Flat	¥209,000	11.0	Japanese Car*
RE-V7079	20x10.5	25	5/114.3	PFS	Round	¥212,000	11.4	Nissan Fairlady Z RZ34* (rear only)
RE-V7080	20x12.0	50	5/114.3	PFS	Round	¥221,000	11.9	Japanese Car*
RE-V7103	21x8.5	30	5/114.3	PFS	Flat	¥230,000	11.6	Toyota CrownSport RS (AZSH37W)*
RE-V7104	21x9.0	32	5/114.3	PFS	Flat	¥233,000	11.8	Lexus RX500h Fsport Performance (TALH17)*
RE-V7105	21x9.5	30	5/114.3	PFS	Flat	¥236,000	12.0	Mitsubishi Outlander PHEV (GN0W)*
RE-V7106	21x10.0	40	5/114.3	PFS	Flat	¥239,000	12.1	Japanese Car*
RE-V7113	21x10.5	40	5/114.3	PFS	Round	¥242,000	12.1	Japanese Car*
RE-V7114	21x12.0	50	5/114.3	PFS	Round	¥251,000	12.8	Japanese Car*
RE-V7095	18x8.5	36	5/120.0	PFS	Flat	¥112,000	8.9	Honda Civic TypeR (FK8)* /BMW 3Series (F3

APPLICATION LIST

RI-A Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RI-A022	16x7.0	48	5/100.0	56	¥72,000	5.7	Toyota 86/Subaru BRZ/Impreza Sport (GT7)*
RI-A053	17x7.5	44	5/100.0	56	¥99,000	6.9	Toyota GR86* (ZN8)/Subaru BRZ* (ZD8)
RI-A062	17x9.0	40	5/100.0	PFS	¥105,000	7.4	Japanese car*
RI-A021	18x7.5	48	5/100.0	PFS	¥105,000	7.7	Toyota Prius (50 Series)
RI-A037	18x8.0	45	5/100.0	PFS	¥107,000	7.8	Subaru 86*/Subaru BRZ (brembo)*
RI-A001	18x8.5	43	5/100.0	PFS	¥109,000	8.3	Toyota 86 (GR)*/Corolla Sport (ZWE211H)
RI-A038	18x9.0	45	5/100.0	PFS	¥111,000	8.2	Toyota 86* (rear only)/Subaru BRZ (brembo)* (rear only)
RI-A002	18x9.5	45	5/100.0	PFS	¥113,000	8.6	Toyota 86 (GR)* (rear only)
RI-A052	18x8.0	39	5/108.0	63.4	¥107,000	7.9	Volvo V60 T5 (ZB420)*
RI-A026	18x8.5	43	5/108.0	63.4	¥109,000	8.1	Volvo/XC40 (XB420XC)*
RI-A020	18x7.5	48	5/112.0	PFS	¥105,000	7.9	BMW Mini Cooper S (F56)*/VW Golf VII GTI
RI-A049	18x8.0	22	5/112.0	PFS	¥107,000	8.4	BMW 3Series (G20)*
RI-A015	18x8.0	45	5/112.0	PFS	¥107,000	8.3	Audi S3 Sedan (8VCJXL)*/Benz C (W205)* (front only)* ⁴
RI-A030	18x8.0	48	5/112.0	PFS	¥107,000	8.0	AMG A45*/VW Golf VII TSI*
RI-A051	18x8.0	52	5/112.0	PFS	¥107,000	7.9	BMW M235i (F44)*/Benz A250 4MATIC (V177)*
RI-A047	18x8.5	35	5/112.0	PFS	¥109,000	8.2	BMW 320i M Sport (G20)*/AMG A35 (W177)*
RI-A036	18x8.5	38	5/112.0	PFS	¥109,000	8.1	Audi A4 (8WCYRF)*/Benz C (W205)* (rear only)
RI-A041	18x8.5	40	5/112.0	PFS	¥109,000	8.0	Audi A4 Avant (8WCVN)*/BMW X2 xdrive20i (F47)
RI-A023	18x8.5	45	5/112.0	PFS	¥109,000	8.4	Audi A4 (8WCYRF)/TTS (FVCJXF)*
RI-A016	18x9.0	38	5/112.0	PFS	¥111,000	8.3	Audi S4 Avant (8WCWGF)*
RI-A031	18x7.5	43	5/114.3	PFS	¥105,000	8.0	Mazda Mazd3 (BP8P/BP5P)*
RI-A019	18x7.5	48	5/114.3	PFS	¥105,000	8.0	Subaru Levorg (VN5)/Suzuki Swift Sport (ZC3S3)*
RI-A054	18x8.0	43	5/114.3	PFS	¥107,000	8.1	Toyota GR Yaris RZ (GXPA16)/Subaru Levorg (VN5)*
RI-A032	18x8.0	45	5/114.3	PFS	¥107,000	8.2	Lexus ES (AXZH10)/Nissan Leaf (ZE1)* ⁴
RI-A017	18x8.5	35	5/114.3	PFS	¥109,000	8.2	Toyota GR Yaris RZ (GXPA16)*/Nissan Fairlady Z (Z34)* (front only)
RI-A004	18x8.5	40	5/114.3	PFS	¥109,000	8.3	Nissan Skyline (HV37)*
RI-A033	18x8.5	48	5/114.3	PFS	¥109,000	8.3	Toyota GR Yaris RZ (GXPA16)/Toyota Crown (220 Series)/Subaru WRX S4 (VAG)*
RI-A027	18x8.5	52	5/114.3	PFS	¥109,000	8.2	Honda Civic Hatchback (FK7)
RI-A034	18x9.0	45	5/114.3	PFS	¥111,000	8.3	Subaru WRX STI (VAB)*
RI-A035	18x9.0	50	5/114.3	PFS	¥111,000	8.2	Subaru Levorg (VN5)*
RI-A003	18x9.5	22	5/114.3	PFS	¥113,000	8.8	Nissan Skyline GT-R (R32/R33/R34)*
RI-A018	18x9.5	35	5/114.3	PFS	¥113,000	8.4	Nissan Fairlady Z (Z34) (rear only)
RI-A005	18x9.5	50	5/114.3	PFS	¥113,000	8.4	Nissan Skyline (HV37)* (rear only)
RI-A006	18x10.5	18	5/114.3	PFS	¥117,000	9.2	Nissan Skyline GT-R (R34)*/Nissan Fairlady Z (Z34)* (rear only)
RI-A069	18x8.0	45	5/120.0	PFS	¥107,000	8.4	BMW* ⁴
RI-A063	18x8.5	34	5/120.0	PFS	¥109,000	8.3	BMW 3Series (F30)*/Z4 (E89)
RI-A068	18x9.0	50	5/120.0	PFS	¥111,000	8.6	BMW (rear only)*/Honda Civic TypeR (FK8)
RI-A064	18x9.5	23	5/120.0	PFS	¥113,000	8.7	BMW M4 (F82)* (front only)* ¹
RI-A066	18x9.5	27	5/120.0	PFS	¥113,000	8.5	BMW M2 (F87)* (front only)* ²
RI-A065	18x9.5	40	5/120.0	PFS	¥113,000	8.7	BMW 3Series (F30)* (rear only)/Z4 (E89)* (rear only)
RI-A067	18x9.5	50	5/120.0	PFS	¥113,000	8.6	Honda Civic TypeR (FL5)*
RI-A070	18x10.0	25	5/120.0	PFS	¥115,000	8.9	BMW*
RI-A061	18x10.0	50	5/120.0	PFS	¥115,000	8.9	Japanese car*
RI-A046	18x10.5	22	5/120.0	PFS	¥117,000	9.1	BMW*
RI-A010	18x10.5	25	5/120.0	PFS	¥117,000	8.9	BMW* (rear only)
RI-A029	18x10.5	37	5/120.0	PFS	¥117,000	8.8	BMW M2 (F87)* (rear only)* ² /M4 (F82)* (rear only)* ¹
RI-A071	18x11.0	37	5/120.0	PFS	¥119,000	9.1	BMW*
RI-A011	18x8.5	48	5/130.0	71.6	¥109,000	8.4	Porsche 911 (997)* (front only)/Cayman (981)* (front only)* ³
RI-A012	18x10.0	40	5/130.0	71.6	¥115,000	8.9	Porsche 911 (997)* (rear only)/Cayman (981)* (rear only)* ³
RI-A014	18x10.0	58	5/130.0	71.6	¥115,000	8.9	Porsche* (rear only)* ³
RI-A013	18x11.0	50	5/130.0	71.6	¥119,000	9.1	Porsche* (rear only)* ³
RI-A056	19x9.0	50	5/130.0	71.6	¥148,000	9.2	Porsche* ³
RI-A059	19x10.5	43	5/130.0	71.6	¥157,000	9.7	Porsche* (rear only)* ³
RI-A057	19x12.0	45	5/130.0	71.6	¥166,000	10.3	Porsche* (rear only)* ³
RI-A058	19x12.0	61	5/130.0	71.6	¥166,000	10.1	Porsche* (rear only)* ³

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

¹ Cannot be installed on a car with a carbon-ceramic brake system

² Cannot be installed on M2 Competition

³ Genuine bolts required

⁴ RI-A015, RI-A032, and RI-A069, the disk protrudes 10 mm or more from the rim flange edge.

• P.C.D. 5/112 and 5/120 products may be discontinued due to specification changes. Please contact us for details.

• Antislip paint

• Metal air valves (769 valve: P5615013, ¥1,500) are optional.

• Colors: Diamond Silver (DS) 19 inch ¥5,000up/Diamond Black (DB) 19 inch ¥5,000up/Matte Bronze (MBZ)/Matte Gray (MGR)/Gold (GL)

• Included parts: Center emblem, Short rubber air valve, nuts and bolts (except genuine bolts required), hub ring (PFS specification sizes)

• Maintenance parts : Center emblem (P5624002G), valve (PTR412)

RE-X Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RE-X013	18x7.5	50	5/112.0	PFS	¥104,000	9.4	Audi Q2/BMW X1 (F48)
RE-X015	18x8.5	45	5/112.0	PFS	¥108,000	10.1	VW Tiguan (5NCZE)*
RE-X001	21x9.0	20	5/112.0	PFS	¥202,000	12.7	Porsche Macan (front only)/BMW X3 (G01)*
RE-X003	21x9.5	31	5/112.0	PFS	¥205,000	12.6	Audi Q7 (4MCREA)*/BMW X3 (G01)* (rear only)
RE-X004	21x10.0	19	5/112.0	PFS	¥208,000	13.2	Porsche Macan* (rear only)
RE-X005	18x7.5	48	5/114.3	PFS	¥104,000	9.6	Toyota Yaris Cross (MXPB10)/Mazda CX-3 (DK5FW)
RE-X006	18x7.5	52	5/114.3	PFS	¥104,000	9.5	Toyota C-HR (NGX50)
RE-X007	18x7.5	59	5/114.3	PFS	¥104,000	9.4	Honda Vezel (RU3)
RE-X008	18x8.0	44	5/114.3	PFS	¥106,000	9.9	Nissan Juke (F15)/Mazda CX-8 (KG2P)
RE-X009	18x8.0	46	5/114.3	PFS	¥106,000	9.9	Mazda CX-5 (KF5P)
RE-X010	18x8.5	42	5/114.3	PFS	¥108,000	10.1	Toyota Harrier (60W)
RE-X002	21x9.0	38	5/114.3	PFS	¥202,000	12.2	Lexus NX300h*/RX350 (15W)/Toyota Harrier* (60W)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Colors: Black Diamond-cut (BKD)/Matte Gray (MGR)

• Included parts: Center emblem, valve, nuts and bolts, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624002G), valve (P5615013)

RT-X Forged aluminum 2-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RT-X001	17x6.5	38	6/139.7	106	¥124,000	10.8	Toyota HIACE (200series)*

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Color: Matte Gray disk and Silver Diamond-cut rim (MGR-SLD)

• Included parts: Center emblem, air valve, nuts

• Maintenance parts: Center emblem (P5624237), valve (P5615013)

RF Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RF531	17x7.0	38	4/100.0	PFS	¥98,000	6.8	Abarth 124Spider (NF2EK)*/Nissan Aura (FSNE13)*
RF500	17x7.0	48	4/100.0	PFS	¥98,000	6.5	Mazda Roadster (ND5RC)/Nissan Note (E12)/Toyota Yaris
RF509	18x7.5	48	4/100.0	PFS	¥108,000	7.7	Mazda Roadster (ND5RC)*/Suzuki Swift*/Toyota Aqua
RF507	17x7.0	48	5/100.0	PFS	¥98,000	6.4	Subaru XV (GT7)*/Lexus CT200h
RF532	17x7.5	44	5/100.0	PFS	¥100,000	6.7	Toyota CorollaTouring*/Audi A1 Sportback (GBDAD)*
RF504	17x7.5	48	5/100.0	PFS	¥100,000	6.6	Toyota 86 (ZN8)/Prius/VW Polo GTI (AWCZP)*
RF533	18x7.5	43	5/100.0	PFS	¥108,000	7.8	Toyota CorollaTouring*/Audi A1 Sportback (GBDAD)*
RF511	18x7.5	48	5/100.0	PFS	¥108,000	7.6	Toyota 86 (ZN8)/VW Polo GTI (AWCZP)*
RF515	18x8.0	45	5/100.0	PFS	¥110,000	7.9	Toyota Prius*/86 (Brembo)*
RF520	18x9.0	45	5/100.0	PFS	¥114,000	8.0	Toyota 86 (ZN6)* (rear only)
RF523	17x7.0	45	5/112.0	66.5	¥98,000	7.0	Mini F56*/F54*/BMW 2SeriesGrantourer (F46)*
RF505	17x7.5	45	5/112.0	PFS	¥100,000	7.1	VW Golf VII*/Passat/Benz B (W246)*/Audi A3/Q3 (F3DFGF)
RF506	17x7.5	50	5/112.0	PFS	¥100,000	6.9	MINI Crossover (F60)/Clubman (F54)/Cooper (F56)*/VW Golf VII*
RF512	18x7.5	51	5/112.0	PFS	¥108,000	7.8	BMW X1 (F48)/MINI Crossover (F60)/Clubman (F54)
RF516	18x8.0	45	5/112.0	PFS	¥110,000	8.2	AMG CLA45*/Benz GLE (W166)*/BMW X1 (F48)*/VW Passat
RF527	18x8.5	38	5/112.0	PFS	¥112,000	8.7	Benz E (W213)*/Audi TTS*/Q5
RF530	17x7.0	41	5/114.3	PFS	¥98,000	6.9	Nissan Leaf (ZE1)
RF501	17x7.0	48	5/114.3	PFS	¥98,000	6.7	Suzuki Swift Sport (33S)*/Subaru Levorg/Toyota CH-R
RF502	17x7.0	50	5/114.3	PFS	¥98,000	6.6	Suzuki Swift Sport (33S)/Toyota Voxy*/Honda Vezel*
RF503	17x7.5	45	5/114.3	PFS	¥100,000	7.1	Toyota Camry (AXVH70)/Honda CR-V/Insight (ZE4)
RF510	18x7.5	45	5/114.3	PFS	¥108,000	7.9	Toyota YarisCross (MXPB10)/Lexus UX (10 Series)
RF525	18x7.5	50	5/114.3	PFS	¥108,000	7.9	Subaru Levorg*/Toyota Voxy*/Honda Step WGN*
RF514	18x8.0	43	5/114.3	PFS	¥110,000	8.2	Toyota GR Yaris RZ (GXPA16)/Crown (220 Series)/Subaru WRX S4 (VAG)
RF518	18x8.5	38	5/114.3	PFS	¥112,000	8.7	Toyota Crown*/Alphard/Nissan Skyline (HV37)*
RF519	18x8.5	50	5/114.3	PFS	¥112,000	8.3	Subaru WRX STI/Toyota Crown (220 Series)/Honda CR-V

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Colors: Diamond Silver (DS)/Diamond Black (DB)

• Included parts: Center emblem, valve, nuts and bolts, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624002G), valve (P5615013)

RE-L2 Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RE5058	15x4.5	45	4/100.0	PFS	¥61,000	4.5	Daihatsu Copen (LA400K)/(Cannot be installed on Tanto CustomRS LA650S)
RE5032	15x5.0	43	4/100.0	PFS	¥62,000	4.7	Honda N-BOX+ (JF1)/N-BOX (JF3)
RE5034	15x5.5	46	4/100.0	PFS	¥63,000	4.8	Honda Fit (GK3)/Daihatsu Move Custom (LA110S)*
RE5013	15x6.0	45	4/100.0	PFS	¥64,000	4.9	Honda S660 (JW5)/Toyota Aqua (NHP10)/Nissan Note (E12)
RE5036	16x5.0	43	4/100.0	PFS	¥67,000	5.3	Honda N-BOX+ (JF1)/N-BOX (JF6)/Daihatsu Copen (LA400K)*
RE5015	16x5.0	45	4/100.0	PFS	¥67,000	5.1	Daihatsu Copen (LA400K)/(Cannot be installed on Tanto CustomRS LA650S)
RE5016	16x6.0	48	4/100.0	PFS	¥69,000	5.4	Honda Insight (ZE2)/Fit Hybrid (GP5/GR Series)
RE5017	16x6.5	40	4/100.0	PFS	¥70,000	5.7	Toyota Aqua (NHP10)/Mazda Roadster (ND)
RE5060	16x6.5	44	4/100.0	PFS	¥70,000	5.7	Nissan Note (E13)*
RE5030	16x6.5	45	4/100.0	PFS	¥70,000	5.6	Mazda Roadster (ND)
RE5038	16x6.5	47	4/100.0	PFS	¥70,000	5.6	Honda S660 (JW5) (rear only)
RE5011	17x7.0	48	4/100.0	PFS	¥91,000	6.3	Mazda Roadster (ND)/Honda Fit (GK5)/Mini Cooper S (R56)*
RE5014	15x6.0	40	5/100.0	PFS	¥64,000	4.8	Toyota Prius/VW Polo (AWCHZ)
RE5052	16x6.5	43	5/100.0	PFS	¥70,000	5.7	Toyota Sienta (NSP170G)
RE5018	16x6.5	47	5/100.0	PFS	¥70,000	5.5	VW Polo (AWCHZ)
RE5054	17x7.0	41	5/100.0	PFS	¥91,000	6.5	Toyota 86/Prius (50Series)
RE5010	17x7.0	48	5/100.0	PFS	¥91,000	6.3	Toyota Prius (50Series)/VW Polo (6RCBZ)
RE5019	16x7.0	42	5/114.3	PFS	¥71,000	6.2	Toyota Yaris Croos (MXPB10)* /Nissan Leaf (ZE1)/Mazda CX-3 (DK5FW)*
RE5066	17x7.0	49	5/114.3	PFS	¥91,000	7.4	Nissan Leaf (ZE1)/Serena (GFNC27)*
RE5044	17x7.0	53	5/114.3	PFS	¥91,000	7.3	Toyota Voxy (80)/Honda Step WGN (RP8)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Colors: Diamond Silver (DS)/Diamond Black (DB)

• Included parts: Center emblem, valve, nuts and bolts, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624002G), valve (P5615013)

Black Diamond-cut color

RE-L2 Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RE5059	15x4.5	45	4/100.0	PFS	¥61,000	4.5	Daihatsu Copen (LA400K)/(Cannot be installed on Tanto CustomRS LA650S)
RE5033	15x5.0	43	4/100.0	PFS	¥62,000	4.7	Honda N-BOX+ (JF1)/N-BOX (JF3)
RE5035	15x5.5	46	4/100.0	PFS	¥63,000	4.8	Honda Fit (GK3)/Daihatsu Move Custom (LA110S)*
RE5021	15x6.0	45	4/100.0	PFS	¥64,000	4.9	Honda S660 (JW5)/Toyota Aqua (NHP10)/Nissan Note (E12)
RE5037	16x5.0	43	4/100.0	PFS	¥67,000	5.3	Honda N-BOX+ (JF1)/N-BOX (JF6)/Daihatsu Copen (LA400K)*
RE5023	16x5.0	45	4/100.0	PFS	¥67,000	5.1	Daihatsu Copen (LA400K)/(Cannot be installed on Tanto CustomRS LA650S)
RE5024	16x6.0	48	4/100.0	PFS	¥69,000	5.4	Honda Insight (ZE2)/Fit Hybrid (GP5/GR Series)
RE5025	16x6.5	40	4/100.0	PFS	¥70,000	5.7	Toyota Aqua (NHP10)/Mazda Roadster (ND)
RE5061	16x6.5	44	4/100.0	PFS	¥70,000	5.7	Nissan Note (E13)*
RE5039	16x6.5	47	4/100.0	PFS	¥70,000	5.6	Honda S660 (JW5) (rear only)
RE5029	17x7.0	48	4/100.0	PFS	¥91,000	6.3	Mazda Roadster (ND)/Mini Cooper S (R56)*
RE5022	15x6.0	40	5/100.0	PFS	¥64,000	4.8	Toyota Prius/VW Polo (AWCHZ)
RE5053	16x6.5	43	5/100.0	PFS	¥70,000	5.7	Toyota Sienta (NSP170G)
RE5026	16x6.5	47	5/100.0	PFS	¥70,000	5.6	VW Polo (AWCHZ)
RE5055	17x7.0	41	5/100.0	PFS	¥91,000	6.5	Toyota 86/Prius (50 Series)
RE5028	17x7.0	48	5/100.0	PFS	¥91,000	6.3	Toyota Prius (50 Series)/VW Polo (6RCBZ)
RE5027	16x7.0	42	5/114.3	PFS	¥71,000	6.2	Toyota Yaris Croos (MXPB10)* /Nissan Leaf (ZE1)/Mazda CX-3 (DK5FW)*
RE5067	17x7.0	49	5/114.3	PFS	¥91,000	7.4	Nissan Leaf (ZE1)/Serena (GFNC27)*
RE5045	17x7.0	53	5/114.3	PFS	¥91,000	7.3	Toyota Voxy (80)/Honda Step WGN (RP8)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Color: Black Diamond-cut (BKD)

• Included parts: Center emblem, valve, nuts and bolts, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624002G), valve (P5615013)

RP Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RP011	15x4.5	45	4/100.0	PFS	¥58,000	4.7	Daihatsu Tanto Custom RS (LA650S)/Copen (LA400K)/Move RS (LA850S)
RP007	15x5.0	45	4/100.0	PFS	¥59,000	4.9	Honda S660 (JW5) (front only)
RP008	15x5.5	45	4/100.0	PFS	¥60,000	5.1	Honda S660 (JW5)* (front only)
RP012	15x6.0	40	4/100.0	PFS	¥61,000	5.5	Nissan Note (E12)/Mazda Demio (DJ5FS)/Toyota Yaris (MXPB10)
RP009	15x6.0	48	4/100.0	PFS	¥61,000	5.4	Toyota Aqua (NHP10)/Honda Fit Hybrid (GR Series)
RP002	16x5.0	45	4/100.0	PFS	¥66,000	5.3	Honda N-BOX (JF3/4/6)/Daihatsu Copen (LA400K)
RP003	16x5.5	45	4/100.0	PFS	¥67,000	5.4	Honda N-BOX (JF3/4/6)/Daihatsu Copen (L880K)*
RP004	16x6.0	45	4/100.0	PFS	¥68,000	5.8	Toyota Aqua (MXPB11)/Yaris (MXPB10)/Nissan Note (E13)*
RP005	16x6.0	50	4/100.0	PFS	¥68,000	5.6	Honda Insight (ZE2)/Fit Hybrid (GR Series)/Shuttle (GP7)
RP006	16x6.5	42	4/100.0	PFS	¥69,000	5.9	Toyota Aqua (NHP10/GR)/Nissan Note (E12)/VW up!*
RP010	16x6.5	48	4/100.0	PFS	¥69,000	6.0	Honda S660 (rear only)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Colors: Diamond Silver (DS) ¥5,000up/Diamond Black (DB) ¥5,000up/Gold (GL)

• Included parts: Center emblem, valve, nuts and bolts, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624002G), valve (P5615013)

RG-R Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RG712	17x7.0	38	4/100.0	PFS	¥98,000	7.7	Nissan Aura (FSNE13)* /Suzuki Swift (72S/ZC13S)*
RG793	17x7.0	45	4/100.0	PFS	¥98,000	7.5	Mazda Roadster NR-A (ND)/Mini Cooper S (R56)*
RG778	17x7.0	42	5/100.0	PFS	¥98,000	7.6	Toyota Sienta/86/Prius (50 Series)* /Subaru BRZ
RG751	17x7.5	35	5/100.0	PFS	¥100,000	8.2	Toyota Corolla Sport (E211H)/Audi A1 (8XCAX)
RG799	17x7.5	48	5/100.0	PFS	¥100,000	7.9	Subaru BRZ/ XV (GT7)* /VW Polo (AWCZP*)
RG798	18x7.5	49	5/100.0	PFS	¥121,000	8.1	Toyota Prius (50 Series)/Subaru XV (GT7)* /VW Polo (AWCZP*)
RG785	17x7.5	48	5/112.0	PFS	¥100,000	7.9	VW Golf VII*/Audi Q2 (GACHZ)/Mini Cooper (F56)*
RG791	18x8.0	50	5/112.0	PFS	¥123,000	8.7	Benz A180 (W177)* /BMW X1 (F48)/Audi Q2 (GACHZ)
RG710	17x7.0	42	5/114.3	PFS	¥98,000	7.7	Lexus ES300h/LUX200 F Sport/Mazda CX-5 (KF5P)
RG784	17x7.0	50	5/114.3	PFS	¥98,000	7.7	Nissan Elgrand (E52)/Suzuki Swift Sport (ZC33S)*
RG716	17x7.5	38	5/114.3	PFS	¥100,000	7.9	Lexus ES300h/Toyota Camry (XVH70)/Honda Insight (ZE4)
RG744	17x7.5	48	5/114.3	PFS	¥100,000	7.8	Subaru Forester (SKE)/Levorg (VM4)/Suzuki Swift Sport (ZC33S)
RG720	17x8.0	40	5/114.3	PFS	¥102,000	7.8	Lexus ES300 (AXZH10)* /Toyota Crown (S210)
RG745	17x8.5	55	5/114.3	PFS	¥104,000	8.1	Subaru Levorg (VM4)
RG738	18x7.5	45	5/114.3	PFS	¥121,000	8.2	Toyota Velfire (30 Series)/Subaru WRX S4 (VAG)/Suzuki Swift Sport (ZC33S)*
RG749	18x7.5	50	5/114.3	PFS	¥121,000	8.2	Toyota C-HR (NGX50)* /Nissan Elgrand (PE52)/Subaru Legacy B4 (BN9)
RG703	18x8.0	40	5/114.3	PFS	¥123,000	8.5	Lexus HS250h/NX300h/Toyota Camry (XVH70)
RG700	18x8.5	36	5/114.3	PFS	¥125,000	9.1	Lexus RC300h*/Toyota Velfire (30 Series)/Crown (220 Series)*
RG786	18x8.5	48	5/114.3	PFS	¥125,000	9.0	Subaru WRX STI (VAB)/WRX S4 (VAG)*
RG750	18x8.5	53	5/114.3	PFS	¥125,000	8.3	Subaru WRX S4 (VAG)/Honda Accord (CR7)
RG704	18x9.0	42	5/114.3	PFS	¥127,000	8.8	Lexus UX250*
RG708	18x9.5	20	5/114.3	PFS	¥129,000	9.4	Nissan Skyline GT-R (R33/R34) *
RG701	18x9.5	38	5/114.3	PFS	¥129,000	9.0	Lexus RC300h* (rear only)
RG790	19x8.0	43	5/114.3	PFS	¥151,000	9.2	Lexus RC300h/Toyota Crown (220 Series)/Mazda CX-5 (KF5P)* /CX-8 (KG)
RG727	19x8.5	38	5/114.3	PFS	¥154,000	9.6	Lexus RC300h*/Toyota Velfire (30 Series)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Colors: Diamond Silver (DS) ¥5,000up/Diamond Black (DB) ¥5,000up/Black Diamond-cut (BKD)/Glod Diamond-cut (GLD)

• Included parts: Center emblem, valve, nuts and bolts, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (PCD100; P5624002G/other than PCD100; Please contact us.), valve (P5615013; Limited to current products only. Please contact us regarding earlier purchases.)

APPLICATION LIST

RS-GT Forged aluminum 2-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	DISKTYPE	PRICE	WEIGHT	APPLICATIONS
RS910	18x8.0	35	5/112.0	PFS	Round	¥140,000	9.6	Audi A4 (8WCYRF)* / Benz GLA220 4 Matic (X156)*
RS982	18x8.0	43	5/112.0	PFS	Round	¥140,000	9.6	VW Golf VIII*
RS991	19x8.5	30	5/112.0	PFS	Round	¥178,000	10.4	BMW 3Series (G20)/5Series (G30) (front only)
RS923	19x8.5	38	5/112.0	PFS	Round	¥178,000	10.0	Audi RS3 (8VDAZF)* / Q5 (FYDAXS) / BMW X1 (F48)*
RS924	19x9.5	38	5/112.0	PFS	Round	¥184,000	10.2	BMW 3Series (G20) (rear only) / 5Series (G30) (rear only)
RS908	18x7.5	45	5/114.3	PFS	Round	¥138,000	8.9	Lexus UX (A10/H15) / Mazda CX-3 (DK5FW)*
RS932	18x7.5	50	5/114.3	PFS	Round	¥138,000	8.9	Subaru Levorg (VM4) / Toyota Esquire / Noa / Voxy (80 Series)
RS929	18x8.0	40	5/114.3	PFS	Round	¥140,000	9.4	Lexus ES (AXZH10) / Nissan X-Trail (NHT32)*
RS902	18x8.5	36	5/114.3	PFS	Round	¥142,000	9.5	Subaru WRX STI (VAB)*
RS930	18x9.0	45	5/114.3	PFS	Round	¥144,000	9.3	Toyota Camry (AXVH70)
RS951	19x8.0	45	5/114.3	PFS	Round	¥175,000	9.7	Mazda CX-8 (KG Series)
RS918	19x8.5	38	5/114.3	PFS	Round	¥178,000	10.1	Lexus NX (AAZH25)
RS970	19x8.5	43	5/114.3	PFS	Round	¥178,000	10.1	Toyota Crown (220 Series)
RS967	20x8.5	38	5/114.3	PFS	Round	¥214,000	10.6	Toyota Alphard / Vellfire (30 Series) / Subaru WRX STI (VAB)
RS968	20x9.5	38	5/114.3	PFS	Round	¥220,000	10.7	Lexus NX (AYZ10)*

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

• Colors: Diamond Silver disk and Silver Diamond-cut rim (DS-SLD) ¥5,000up / Diamond Black disk and Silver Diamond-cut rim (DB-SLD) ¥5,000up / Gold disk and Silver Diamond-cut rim (GL-SLD)

• Included parts: Center emblem, valve, nuts and bolts (except genuine bolts required), hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (P5624119: Limited to current products only. Please contact us regarding earlier purchases.), valve (P5615013: Limited to current products only. Please contact us regarding earlier purchases.)

RG-F Forged aluminum 1-piece wheel



TYPE	SIZE	INSET	H/P.C.D	PFS/BORE	PRICE	WEIGHT	APPLICATIONS
RG397	15x5.5	45	4/100.0	PFS	¥63,000	4.2	Honda N BOX (JF11*/JF3)* / Daihatsu Copen (L880K)*
RG524	15x6.0	40	4/100.0	PFS	¥64,000	4.6	Toyota Aqua (NHP10) / Yaris / Roomy (900A)
RG390	15x6.0	45	4/100.0	PFS	¥64,000	4.4	Nissan March (K12) / Honda N-BOX (JF1/JF3)* / Fit (GK3)*
RG357	15x6.5	37	4/100.0	PFS	¥65,000	4.8	Mazda Roadster RS (NB)*
RG508	15x6.5	42	4/100.0	PFS	¥65,000	4.8	Toyota Aqua (NHP10) / Yaris
RG359	15x7.0	33	4/100.0	PFS	¥66,000	5.0	Japanese car*
RG517	16x5.5	45	4/100.0	PFS	¥73,000	5.5	Daihatsu Copen (L880K)* / Tanto Custom (L385S)* / Suzuki Hustler*
RG525	16x6.5	40	4/100.0	PFS	¥75,000	5.8	Toyota Aqua (NHP10) / Yaris / Mazda Roadster NR-A (ND)
RG408	16x6.5	42	4/100.0	PFS	¥75,000	5.8	Toyota Roomy (900A)* / Nissan Note (E12)
RG518	16x6.5	48	4/100.0	PFS	¥75,000	5.9	Honda Shuttle (GP7)* / Fit Hybrid (GR Series)
RG366	16x7.0	35	4/100.0	PFS	¥76,000	6.2	Mazda Roadster (ND5)*
RG511	16x6.5	38	5/100.0	PFS	¥75,000	6.1	Toyota Sienta* / Prius (50 Series)* / 86* / Subaru BRZ* / VW Polo (AWCHZ)*
RG519	16x6.5	47	5/100.0	PFS	¥75,000	5.9	Toyota Sienta / 86 / Prius (50 Series) / Subaru BRZ
RG383	16x7.0	35	5/100.0	PFS	¥76,000	6.2	VW Polo (AWCHZ)*
RG403	16x7.0	48	5/112.0	PFS	¥76,000	6.3	Audi A3 (8VCXS) / Q2 (GACHZ) / VW Golf (VI* / VII)
RG367	16x7.0	42	5/114.3	PFS	¥76,000	6.4	Toyota Prius / Nissan Serena (FC26)* / Leaf (ZE0) / Honda Insight (ZE4)

* Tuner size wheel: Please comply with all applicable laws and regulations in your country and region related to vehicle modification and use on public roads

* Cannot be installed on JF1 turbo, 4WD or N-Box+ models

• Colors: Diamond Black (DB) ¥5,000up / Silver (SL) / Blue Black Diamond-cut (BBD) / Gold (GL)

• Included parts: Center emblem, valve, nuts and bolts, rim sticker, hub ring (PFS specification sizes)

• Maintenance parts: Center emblem (PCD100; P5624002G / PCD112, 114.3; P5624080), valve (P0915036)

⚠ CAUTION The products shown in this list cannot be installed on the following vehicles: [Excluding FL]

5H P.C.D/108: Volvo XC90 Plug-in Hybrid and Land Rover (Range Rover VELAR)

5H P.C.D/112: Mercedes Benz [GL class, GLS class, R350 4MATIC (‘12y~), R550 4MATIC, ML63 4MATIC, S550 Plug-in Hybrid, V class, [W447], GLE63S 4MATIC, EQC400, GLE class, [167series], S580e, EQE350+, EQE350(SUV), EQE53, EQS450+, EQS53, EQS SUV], Bentley, Maybach (57, 62), Maybach GLS600, BMW [X5 7-seater, X5 PHV, X7, iX, iX3, ALPINA XB7, i7] and Audi [e-tron, Q8 e-tron, Q8 sportback e-tron, SQ8 sportback e-tron]

5H P.C.D/120: BMW [X5 7-seater, X5 (F15), Active Hybrid X6, XM (G09)], Land Rover (Range Rover ‘22y~), Rolls-Royce, Bentley, Toyota Century [GRG75]

5H P.C.D/130: Audi [Q7], Mercedes Benz [G55, G550, G63], Bentley and Porsche (Cayenne turbo ‘23y~)

Prices as of March 2026.

Optional parts made by **McGard**

Wheel security system by McGard LLC

Kit includes:

- Instruction manual
- I.D. sticker
- Return envelope
- Original sticker
- Lock nuts (4)
- Lock keys (2)
- User registration card (registration is necessary for replacement of lost keys)



Lock nuts

Type	Color	Specification	Price
PLNM15C	Black	M12×1.5	Black cap ¥12,000
PLNM125C	Black	M12×1.25	Black cap ¥12,000
PLNM14L	Black	M14×1.5	Black cap ¥21,600

Lock bolts

Type	Color	Specification	Price
PLBM6028BS	Black	M12×1.5 60°- 28mm	Spin type
PLBM6030BS	Black	M14×1.5 60°- 30mm	Spin type ¥26,400
PLBM125BS	Black	M14×1.25 60°- 28mm	Spin type

McGard installation kit

This kit includes 4 lock nuts and 16 racing lug nuts to further enhance wheel security.

- Kit includes: • Small lock nuts (4) • Lock wrench (1) • Lug nuts (16) • Lug wrench (1) • Exclusive case • Original sticker
• I.D. label • Return envelope • User registration card (registration is necessary for replacement of lost keys)

Type	Color	Specification	Price
PLGM15I	Black	M12×1.5	¥42,000
PLGM125I	Black	M12×1.25	
PLGM15IBR	Blue Rainbow	M12×1.5	¥48,000
PLGM125IBR	Blue Rainbow	M12×1.25	
PLGM15IGL	Gold	M12×1.5	¥48,000
PLGM125IGL	Gold	M12×1.25	
PLGM14I	Black	M14×1.5	Bolt type
PLGM6028BI	Black	M12×P1.5	
PLGM6030BI	Black	M14×P1.5	
PLGM125BI	Black	M14×P1.25	Bolt type



McGard racing lug nut kit

Kit includes:

- Chrome-finish lug nuts (20)
- 21 mm installation tool (1)
- Instruction manual
- Original sticker

Type	Color	Specification	Price
PLGM15BKR	Black×Red	M12×1.5	¥27,600
PLGM125BKR	Black×Red	M12×1.25	



BBS parts

Black center emblems

Type/No.	Price each
φ80 (without ring) P5624237	¥5,000
φ76.6 (with ring) P5624228	
φ70 (without ring) P5624080	
φ70 (with ring) P5624119	
φ56 (without ring) P5624002G	



Red center emblems

Type/No.	Price each
φ80 (without ring) P5624243	¥5,000
φ70 (without ring) P5624099	
φ70 (with ring) P5624126	
φ56 (without ring) P5624100	



Blue center emblems

Type/No.	Price each
φ70 (without ring) P5624206	¥5,000
φ70 (with ring) P5624132	
φ56 (without ring) P5624203	



Platinum center emblems

Type/No.	Price each
φ70 (without ring) P5624190	¥5,000
φ70 (with ring) P5624173	
φ56 (without ring) P5624182	



Full-penetration steel nuts

Long: 25 mm total length

Type/No.	Price each
M12×1.5 Long P5623013	¥600
M12×1.25 Long P5623012	



Black socket-style nuts

Short: 24 mm total length, Long: 30 mm total length M14: 34mm total length

Type/No.	Price each	
M12×1.5 Short P5623066	¥600	
M12×1.25 Short P5623065		
M12×1.5 Long P5623020		
M12×1.25 Long P5623021		
M14×1.5 Long P5623062		¥1,200



Black bolts

Type/No.	Price each
M12×1.5 60°-30mm P5623087	¥1,200
M14×1.5 60°-30mm P5623064	
M14×1.5 60°-25mm P5623074	
M14×1.25 60°-30mm P5623069	



769 air valve

Type/No.	Price each
42mm total length P5615013	¥1,500

M8 air valve

Type/No.	Price each
42mm total length P0915036	¥1,500

Short rubber air valve

Type/No.	Price each
33mm total length PTR412	¥500

Aluminum made Air valve (Black)

Type/No.	Price each
46mm total length P5615017	¥2,500

Provides a more realistic view of BBS forged wheels in their natural habitat.

OWNER'S PHOTO

This gallery provides a convenient place to post photos of your treasured car fitted with BBS forged wheels, and to see how our wheels look on other makes and models of car. Here you can see realistic scenes of BBS wheels mounted on a wide variety of manufacturers' models, providing potential owners with a handy point of reference before making a purchase.



Please note that all the contents of this page were received "as is" from our customers, so BBS has no further information regarding the installation conditions or other work done on these vehicles.

For more information regarding "OWNER'S PHOTO" page, please visit our website.

